


## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.




UNITED STATES DEPARTMENT OF AGRICULTURE  
BUREAU OF AGRICULTURAL ECONOMICS  
CROP REPORTING BOARD



# Fruits and Nuts

## BEARING ACREAGE, 1919 - 1946



WASHINGTON, D. C.  
JANUARY 1949  
CS-32

- CONTENTS -

FRUITS AND NUTS: BEARING ACREAGE, 1919 - 1946

	<u>Page</u>
TOTAL FRUITS AND NUTS	6-11
TOTAL NONCITRUS FRUITS	6-7
TOTAL CITRUS FRUITS	38-39
NONCITRUS FRUITS:	
Apples	12-19
Apricots	31
Avocados	31
Cherries	32-34
Dates	31
Figs	31
Grapes	28-31
Olives	31
Peaches	20-23
Pears	24-27
Persimmons	31
Plums	35-36
Pomegranates	31
Prunes	35-36
CITRUS FRUITS:	
Grapefruit	38-39
Lemons	38-39
Limes	38-39
Oranges	37-39
Tangerines	37-39
NUTS:	
Almonds	35-36
Filberts	35-36
Walnuts	35-36
LIST OF FRUITS AND NUTS INCLUDED, BY STATES	5

UNITED STATES DEPARTMENT OF AGRICULTURE  
Bureau of Agricultural Economics  
Crop Reporting Board

FRUITS AND NUTS:  
BEARING ACREAGES  
1919-46

This is the first publication that gives a complete statistical series of estimates of bearing acreages for noncitrus fruit crops for all States. Estimates of bearing acreages for citrus fruits were first published in October 1947 in "Citrus Fruits: Production, Farm Disposition, Value and Utilization of Sales" and for almonds, walnuts, and filberts in "Tree Nuts: Acreage, Production, Farm Disposition, Value, and Utilization of Sales." For most crops and States the acreage estimates in these publications include the years 1919-46. Production estimates corresponding to all of the bearing-acreage series are found in the publications mentioned above and in "Fruits (Noncitrus): Production, Farm Disposition, Value, and Utilization of Sales," for the years 1889 to 1944 dated May 1948 and for 1945 to 1947 dated July 1948.

These estimates include bearing acreages of most of the fruits and bearing acreages of almonds, walnuts, and filberts. Because large numbers of pecan trees are located outside of established orchards, data on tree numbers are very incomplete and are not sufficiently reliable to justify the preparation of estimates of acreages of pecan trees. (Bearing acreage refers to trees of bearing age.)

For California, estimates of bearing acreages have been published annually since 1921. The first detailed coverage by age groups and varieties for all counties was obtained by the extensive Federal-State survey of 1936. Since then, records for this State have been provided through cooperation between the respective county agricultural commissioners and the California Crop and Livestock Reporting Service, partly from new surveys and partly by recording changes from the previous years.

In developing these records for California, most of the field work was done by the county agricultural commissioners and their staffs, while some of the field work and much of the assembling and compilation of data were done by the staff of the California Crop and Livestock Reporting Service. The major year-to-year changes include: acreages removed or abandoned, new plantings made, and the shifting from a nonbearing position to bearing. All improved records obtained from more recent surveys are used each year.

This report includes some revisions of the estimates shown in the annual publications of the California Crop and Livestock Reporting Service. The totals published by that agency are summations of county totals and are shown to the nearest acre. In this publication, these totals have been rounded to the nearest 100 acres except in the case of dates, persimmons, and pomegranates; their totals have been rounded to the nearest 10 acres.

---

Prepared by Cary D. Palmer, E. O. Schlotzhauer, and P. F. Kiesler under the general direction of R. Royston, from reports submitted by field statisticians of the Bureau of Agricultural Economics and other available data.



For the other States, the estimates of acreages are the joint product of the field and the Washington statisticians of the Bureau of Agricultural Economics. Information on the numbers and acreages by age groups is much less comprehensive for these States than for California. Measures of year-to-year change, such as annual records of removals and new plantings, are not available for most States but all available basic data were used in preparing these estimates. These include the Federal Quinquennial Census of tree numbers, results of the sample surveys of tree numbers and acreages conducted by the Bureau of Agricultural Economics and other agencies, and other available indications. Surveys of tree numbers and acreages similar to the 1936 California survey are needed for nearly all of the other important fruit States.

### Trends in Fruit Acreages

The area devoted to fruit crops in the United States has declined one-tenth, but the production has more than doubled during the quarter-century (1919-46) covered by the fruit-acreage estimates given in this report. This decline in bearing acreage has resulted from a combination of several factors, including the abandonment of orchards on poor soils and of orchards with high risks of spring frost. Many of these poorly located orchards came from unwise promotional ventures. The increase in production is due largely to an increased acreage in the irrigated areas of the West and to a decline in the low-yielding, nonirrigated areas of the central and eastern States. Improved cultural practices, increased use of fertilizer, and improved control of insects and diseases, have also been influential in increasing fruit yields. (Fig. 1.)

In this quarter of a century, the area devoted to noncitrus fruit crops has declined materially in the eastern and central States. The decline was sharpest during the late 1930's when the production of fruit was relatively unprofitable. In the western States, the acreage increased until the late 1920's; it declined during the 1930's and has not varied much since the late 1930's, although it showed a slight upward trend during the early 1940's. (Fig. 2.)

Apples: The bearing acreage of apples in the United States has declined steadily since 1919, but still is the largest of any single fruit crop. Total bearing acreage in 1946 was only about half the total bearing acreage in 1919. The largest decline occurred in the central States, which have less than half of the acreage they had a quarter-century ago. The decline was only slightly less drastic in the eastern States. In these areas, farm orchards were planted extensively in the last century and in the early 1900's, but they have declined in importance and are apparently still declining gradually. In the western States, the peak of bearing acreage of apples was reached before 1919. The acreage declined gradually after that until the early 1940's, and at present it appears to be on about a level trend. In all areas, the greatest decline in acreage has occurred in the sections which have proved to be least suited to fruit production. Estimates are available for noncommercial and commercial counties, separately, for the period 1934-46. In this 13-year period the decline in noncommercial areas has been greater than in commercial areas. (Figs. 3 and 4.)

Peaches: The bearing acreage of peaches in the United States reached a peak in the mid-1920's, declined steadily until the late 1930's, and increased during the early 1940's. California, which in 1946 had about 13 percent of the United States bearing acreage of peaches and 43 percent of the production, showed a marked shift in trend during the last quarter of a century. The acreage increased during the 1920's largely because of an increase in Clingstones for canning; it declined from the late 1920's until the early 1940's. The acreage shows considerable increase during the 1940's. Peaches have proved to be profitable in other western irrigated areas, especially in the State of Washington. The acreage in the western States, excluding California, has increased gradually since the late 1920's and still appears to be increasing. In the 10 southern States, which furnish the bulk of the peaches for the June and July markets, the acreage increased until the mid-1920's, declined until the mid-1930's and has gradually increased since then. A noteworthy change within this group of States has been the increase within the past 15 years in South Carolina. In the central States, the acreage devoted to peaches reached a low point in the late 1930's and increased in the early 1940's, largely through new plantings in Michigan. (Figs. 5 and 6.)

Pears: Following the large plantings of pears in the Pacific Coast States during the 1920's and shortly before, the United States bearing acreage of pears reached a peak in the mid-1930's. While acreage was increasing in the western States, it was gradually declining in the central and eastern States, mainly because of the more favorable climate and soils in the irrigated areas of the West. But the ravages of fire blight have eliminated much pear acreage in both the East and the West. The pear acreage in the Pacific Coast States, which in 1946 comprised 47 percent of the U. S. acreage and accounted for 81 percent of the production, more than doubled between 1919 and 1933 but declined about one-fifth between 1933 and 1942. (Figs. 7 and 8.)

Grapes: California dominates the grape industry of the United States. In recent years, this State has produced more than 90 percent of the U. S. grape crop on about four-fifths of the U. S. grape acreage. The bearing acreage of all three types of California grapes (raisin, wine, and table varieties) increased during the 1920's, declined during the 1930's, and has been about stable since the late 1930's. The acreage of raisin and table varieties reached a peak about 1927 and wine varieties about 1929. There has been a decline in acreage on the poorly adapted sites and soils, and an increase in the better adapted areas of California during the last 15 years. In the central and eastern States the bulk of the commercial production is found around the Great Lakes and is utilized mostly for grape juice. The acreage increased until the early 1930's and has declined gradually since then. (Figs. 9 and 10.)

Cherries: The bearing acreage of cherries in the United States is divided into the sour varieties produced primarily for processing and grown in the Great Lakes States, and the sweet varieties produced primarily for fresh market but also for processing, and grown mostly in the Pacific Coast States. The acreage of the sour varieties increased very sharply in the early 1930's principally because of extensive plantings in Michigan. The acreage declined



gradually in the late 1930's when prices were very unsatisfactory to orchardists but has increased gradually since then. In the Pacific Coast States, there was a steady increase in acreage devoted to sweet cherries, between 1919 and 1939. The acreage peak was reached in California in the late 1930's and in Washington and Oregon in the middle 1940's. (Figs. 11 and 12.)

Prunes and Plums: The bearing acreage of prunes for drying in California increased sharply until the early 1930's and has since declined gradually. California prune trees are very old on the average and a continuing decline in acreage seems likely. In the Northwest (Oregon, Washington, and Idaho), total bearing acreage of prunes in 1946 was about equal to that of 1919. In western Oregon and Washington--where prunes are produced primarily for processing and where a large proportion of the crop formerly was produced for drying--acreage reached a peak in the late 1920's. It has declined sharply since then, and appears to be still on a downward trend. In eastern Oregon, eastern Washington, and Idaho, where prunes are produced primarily for fresh market, the acreage has increased since the late 1930's. The plum acreage in California increased until the late 1920's, declined until the early 1940's, and has increased slightly since then. (Fig. 13.)

Tree Nuts: The bearing acreage devoted to tree nuts in the Pacific Coast States has increased sharply during the last 25 years. Between 1919 and 1939 the walnut acreage doubled; since 1939 it has increased slightly. Almond acreage increased sharply in the 1920's, was almost stable in the 1930's, and has been increasing during the last few years. The almond acreage in California has declined in the low-yielding coastal counties and increased in the high-yielding interior valleys. The bearing acreage of filberts, a relatively new crop, has increased from 2,290 acres in 1929 to 18,570 acres in 1946. Practically all of the country's acreage of filberts is located in the Willamette Valley of Oregon and in southwestern Washington. (Fig. 14.)

Citrus: Practically all of the citrus fruits are produced in California, Arizona, Texas, and Florida. The bearing acreage has tripled during the last 25 years. The California acreage averages the oldest with 194,000 acres in 1919 and 321,400 acres in 1946. In contrast, Florida had an increase from 84,100 acres in 1919 to 389,200 acres in 1946. In Texas, where the bulk of the citrus acreage is in grapefruit, large plantings occurred in the late 1920's and early 1930's. The bearing acreage was only 10,400 acres in 1928 but reached 112,900 acres in 1946.


Oranges accounted for about two-thirds of the bearing acreage of citrus in the United States in 1946, when about one-fourth was in grapefruit and nearly a tenth in lemons. Nearly all of the country's lemon acreage is located in California. During the last quarter-century, the orange acreage has increased  $2\frac{1}{2}$  times, grapefruit acreage nearly 7 times, and the lemon acreage has nearly doubled. (Figs. 15 and 16.)




FRUITS AND NUTS; KINDS IN EACH STATE FOR WHICH BEARING ACREAGES ARE SHOWN

<u>Alabama</u>	<u>Arizona</u>	<u>Arkansas</u>	<u>California</u>		<u>Colorado</u>	<u>Conn- ecticut</u>	<u>Delaware</u>	<u>Florida</u>	
apples grapes oranges peaches pears	apples grapes grapefruit oranges peaches pears	apples grapes peaches pears	almonds apples apricots avocados cherries dates figs grapes grapefruit lemons	olives oranges peaches pears persimmons plums pomegranates prunes walnuts	apples cherries grapes peaches pears	apples grapes peaches pears	apples grapes peaches pears	avocados grapes grapefruit limes oranges peaches pears tangerines	
<u>Georgia</u>	<u>Idaho</u>	<u>Illinois</u>	<u>Indiana</u>	<u>Iowa</u>	<u>Kansas</u>	<u>Kentucky</u>	<u>Louisiana</u>	<u>Maine</u>	<u>Maryland</u>
apples grapes peaches pears	apples cherries grapes peaches pears prunes	apples grapes peaches pears	apples grapes peaches pears	apples grapes peaches pears	apples grapes peaches pears	apples grapes peaches pears	apples oranges peaches pears	apples pears	apples grapes peaches pears
<u>Mass- achusetts</u>	<u>Michigan</u>	<u>Minnesota</u>	<u>Miss- issippi</u>	<u>Missouri</u>	<u>Montana</u>	<u>Nebraska</u>	<u>Nevada</u>	<u>New Hampshire</u>	<u>New Jersey</u>
apples grapes peaches pears	apples cherries grapes peaches pears plums	apples grapes peaches pears	apples oranges peaches pears	apples grapes peaches pears	apples cherries	apples grapes peaches pears	apples peaches pears	apples peaches pears	apples grapes peaches pears
<u>New Mexico</u>	<u>New York</u>	<u>North Carolina</u>	<u>Ohio</u>	<u>Oklahoma</u>	<u>Oregon</u>	<u>Penn- sylvania</u>	<u>Rhode Island</u>	<u>South Carolina</u>	<u>South Dakota</u>
apples grapes peaches pears	apples cherries grapes peaches pears plums	apples grapes peaches pears	apples cherries grapes peaches pears	apples grapes peaches pears	apples cherries filberts grapes peaches pears prunes walnuts	apples cherries grapes peaches pears	apples grapes peaches pears	apples grapes peaches pears	apples
<u>Tennessee</u>	<u>Texas</u>	<u>Utah</u>	<u>Vermont</u>	<u>Virginia</u>	<u>Washington</u>	<u>West Virginia</u>	<u>Wisconsin</u>	<u>Wyoming</u>	
apples grapes peaches pears	apples grapes grapefruit oranges peaches pears	apples apricots cherries grapes peaches pears	apples pears	apples grapes peaches pears	apples apricots cherries filberts grapes peaches pears prunes	apples grapes peaches pears	apples cherries grapes	apples	

FRUITS AND NUTS: TOTAL BEARING ACREAGE,  
UNITED STATES, BY AREAS, 1919-46



FRUITS-NONCITRUS: TOTAL BEARING ACREAGE,  
UNITED STATES, BY AREAS, 1919-46



## FRUITS AND NUTS: TOTAL BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Total	Eastern States			Central States			Total Western States
		North Atlantic	South Atlantic	Total	North Central	South Central	Total	
		1/	2/		3/	4/	5/	
Thousands								
1919	4,747.6	868.5	829.9	1,698.4	1,047.1	618.8	1,665.9	1,383.3
1920	4,760.5	861.0	846.8	1,707.8	1,030.9	601.0	1,631.9	1,420.8
1921	4,790.6	855.4	868.0	1,723.4	1,015.4	581.7	1,597.1	1,470.1
1922	4,845.1	847.8	890.4	1,738.2	1,003.4	570.6	1,574.0	1,532.9
1923	4,914.2	839.4	921.0	1,760.4	992.3	555.2	1,547.5	1,606.3
1924	4,984.4	831.5	958.6	1,790.1	972.8	529.2	1,502.0	1,692.3
1925	5,021.3	817.6	949.0	1,766.6	958.1	519.3	1,477.4	1,777.3
1926	5,059.4	800.5	952.9	1,753.4	943.8	509.2	1,453.0	1,853.0
1927	5,061.8	782.4	945.4	1,727.8	928.2	502.0	1,430.2	1,903.8
1928	5,044.2	764.6	940.8	1,705.4	914.8	497.1	1,411.9	1,926.9
1929	5,018.5	748.2	937.5	1,685.7	905.5	493.6	1,399.1	1,933.7
1930	5,001.2	744.2	931.5	1,675.7	913.8	491.7	1,405.5	1,920.0
1931	5,006.3	741.2	941.4	1,682.6	926.4	492.9	1,419.3	1,904.4
1932	5,009.7	736.8	946.6	1,683.4	939.8	501.6	1,441.4	1,884.9
1933	4,993.8	731.1	944.9	1,676.0	956.5	514.4	1,470.9	1,846.9
1934	4,972.6	714.9	937.4	1,652.3	967.8	522.2	1,490.0	1,830.3
1935	4,850.6	663.8	932.8	1,596.6	923.3	521.8	1,445.1	1,808.9
1936	4,716.6	635.4	923.5	1,558.9	847.2	519.5	1,366.7	1,791.0
1937	4,614.7	605.1	913.9	1,519.0	771.5	514.6	1,286.1	1,809.6
1938	4,517.0	581.1	901.3	1,482.4	713.8	511.2	1,225.0	1,809.6
1939	4,426.7	553.9	890.0	1,443.9	672.5	509.0	1,181.5	1,801.3
1940	4,417.2	552.1	899.6	1,451.7	666.0	510.2	1,176.2	1,789.3
1941	4,407.3	550.3	909.9	1,460.2	646.3	512.1	1,158.4	1,788.7
1942	4,410.3	549.9	920.4	1,470.3	635.5	514.4	1,149.9	1,790.1
1943	4,415.8	548.7	925.4	1,474.1	633.5	507.9	1,141.4	1,800.3
1944	4,426.3	549.7	933.2	1,482.9	635.3	495.9	1,131.2	1,812.2
1945	4,449.0	547.6	940.9	1,488.5	632.4	495.0	1,127.4	1,833.1
1946	4,461.0	545.5	944.5	1,490.0	628.3	495.1	1,123.4	1,847.6

1/ Me., N.H., Vt., Mass., R.I., Conn., N.Y., N.J. and Pa. 2/ Del., Md., Va., W.Va., N.C., S.C., Ga. and Fla.  
3/ Ohio, Ind., Ill., Mich., Wisc., Minn., Iowa, Mo., S.D., Nebr. and Kans. 4/ Ky., Tenn., Ala., Miss., Ark., La., Okla. and Texas. 5/ Mont., Idaho, Wyo., Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg. and Calif.

## FRUITS--NONCITRUS: TOTAL BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Total	Eastern States			Central States			Total Western States
		North Atlantic	South Atlantic	Total	North Central	South Central	Total	
		1/	2/		3/	4/	5/	
Thousands								
1919	4,368.7	868.5	745.8	1,614.3	1,047.1	615.5	1,662.6	1,091.8
1920	4,356.3	861.0	752.0	1,613.0	1,030.9	594.6	1,625.5	1,117.8
1921	4,358.6	855.4	760.8	1,616.2	1,015.4	574.1	1,589.5	1,152.9
1922	4,379.1	847.8	770.9	1,618.7	1,003.4	555.9	1,559.3	1,201.1
1923	4,418.1	839.4	785.1	1,624.5	992.3	538.0	1,530.3	1,263.3
1924	4,464.0	831.5	798.0	1,629.5	972.8	522.3	1,495.1	1,339.4
1925	4,486.3	817.6	785.9	1,603.5	958.1	511.3	1,469.4	1,413.4
1926	4,486.4	800.5	768.7	1,569.2	943.8	499.6	1,443.4	1,473.8
1927	4,467.0	782.4	752.1	1,534.5	928.2	490.1	1,418.3	1,514.2
1928	4,424.5	764.6	740.0	1,504.6	914.8	481.5	1,396.3	1,523.6
1929	4,372.2	748.2	729.3	1,477.5	905.5	472.3	1,377.8	1,516.9
1930	4,326.2	744.2	711.3	1,455.5	913.8	464.1	1,377.9	1,492.8
1931	4,282.8	741.2	694.9	1,436.1	926.4	455.9	1,382.3	1,464.4
1932	4,241.9	736.8	681.2	1,418.0	939.8	448.4	1,388.2	1,435.7
1933	4,188.2	731.1	665.2	1,396.3	956.5	442.5	1,399.0	1,392.9
1934	4,124.8	714.9	645.6	1,360.5	967.8	436.8	1,404.6	1,359.7
1935	3,966.7	663.8	627.4	1,291.2	923.3	428.9	1,352.2	1,323.3
1936	3,803.9	635.4	609.4	1,244.8	847.2	420.2	1,267.4	1,291.7
1937	3,673.6	605.1	591.4	1,196.5	771.5	413.0	1,184.5	1,292.6
1938	3,554.0	581.1	572.3	1,153.4	713.8	407.3	1,121.1	1,279.5
1939	3,449.6	553.9	557.5	1,111.4	672.5	403.4	1,075.9	1,262.3
1940	3,423.1	552.1	556.8	1,108.9	666.0	403.4	1,069.4	1,244.8
1941	3,397.6	550.3	555.2	1,105.5	646.3	406.8	1,053.1	1,239.0
1942	3,383.1	549.9	556.0	1,105.9	635.5	407.5	1,043.0	1,234.2
1943	3,373.2	548.7	555.8	1,104.5	633.5	399.4	1,032.9	1,235.8
1944	3,369.0	549.7	558.4	1,108.1	635.3	386.0	1,021.3	1,239.6
1945	3,368.7	547.6	557.2	1,104.8	632.4	381.6	1,014.0	1,249.9
1946	3,363.8	545.5	555.3	1,100.8	628.3	377.7	1,006.0	1,257.0

1/ Me., N.H., Vt., Mass., R.I., Conn., N.Y., N.J. and Pa. 2/ Del., Md., Va., W.Va., N.C., S.C., Ga. and Fla.  
3/ Ohio, Ind., Ill., Mich., Wisc., Minn., Iowa, Mo., S.D., Nebr. and Kans. 4/ Ky., Tenn., Ala., Miss., Ark., La., Okla. and Texas. 5/ Mont., Idaho, Wyo., Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg. and Calif.



## FRUITS AND NUTS: TOTAL BEARING ACREAGE, BY STATES, 1919-1946

Year	United States		Maine	New Hampshire	Vermont	Massachusetts	Rhode Island	Connecticut	New York
	Total <sup>1/</sup>								
	Including citrus	Excluding citrus							
	Thousands								
1919	4,747.6	4,465.5	58.2	16.6	13.9	31.1	4.9	24.1	411.8
1920	4,760.6	4,459.6	56.6	16.1	12.5	32.2	4.9	23.9	410.3
1921	4,790.6	4,468.0	55.0	15.5	13.0	33.1	4.8	23.6	409.4
1922	4,845.1	4,499.0	53.4	14.9	12.4	34.1	4.8	23.2	407.7
1923	4,914.2	4,545.4	51.8	14.6	11.8	35.0	4.7	22.9	405.8
1924	4,984.4	4,597.4	50.2	14.2	11.2	36.0	4.6	22.7	403.6
1925	5,021.3	4,627.8	47.9	13.8	11.4	35.5	4.6	22.3	396.5
1926	5,059.4	4,636.1	45.7	13.4	11.7	35.1	4.7	22.0	385.8
1927	5,061.8	4,624.1	43.2	12.6	11.9	34.7	4.7	21.5	375.6
1928	5,044.2	4,590.1	40.4	12.2	12.1	34.3	4.7	21.2	365.3
1929	5,018.6	4,545.1	37.7	11.6	12.3	34.0	4.9	20.9	355.3
1930	5,001.2	4,505.6	36.2	11.9	12.0	35.1	5.0	21.9	352.9
1931	5,006.3	4,468.6	34.7	12.2	11.7	36.2	5.1	22.8	351.8
1932	5,009.7	4,432.1	33.2	12.3	11.3	37.2	5.2	23.6	350.2
1933	4,993.8	4,383.4	29.7	12.5	10.9	38.4	5.3	24.7	348.3
1934	4,972.6	4,323.3	22.8	13.6	10.5	39.5	5.4	25.6	338.7
1935	4,850.6	4,169.7	17.1	12.9	9.8	38.6	5.3	23.7	307.1
1936	4,716.6	4,010.7	16.1	12.3	9.2	37.5	5.1	21.8	293.3
1937	4,614.7	3,886.3	15.1	11.5	8.5	36.5	4.8	19.9	279.5
1938	4,517.0	3,771.0	14.1	10.8	7.8	35.6	4.7	18.0	269.3
1939	4,426.7	3,669.9	13.1	10.0	7.2	31.8	4.5	16.1	258.1
1940	4,417.2	3,646.3	13.3	10.1	7.4	31.8	4.4	16.2	258.1
1941	4,407.3	3,623.8	13.4	10.2	7.6	31.8	4.4	16.5	257.8
1942	4,410.3	3,612.9	13.6	10.3	7.8	31.9	4.2	16.7	258.8
1943	4,415.8	3,606.6	13.8	10.5	8.0	32.0	4.1	16.9	258.2
1944	4,426.3	3,606.4	14.0	10.7	8.2	32.3	4.1	17.2	258.2
1945	4,449.0	3,612.3	14.2	10.7	8.2	32.1	4.0	17.1	257.2
1946	4,461.0	3,613.0	14.4	10.7	8.2	31.9	4.0	17.0	256.5

Year	New Jersey	Pennsylvania	Delaware	Maryland	Virginia	West Virginia	North Carolina	South Carolina	Georgia
Thousands									
1919	47.9	260.0	25.3	51.2	217.9	192.3	120.1	20.2	114.4
1920	48.6	255.9	25.2	50.9	221.2	190.2	121.9	20.6	117.5
1921	49.4	251.6	25.0	50.6	224.4	188.1	125.4	21.0	121.8
1922	50.1	247.2	24.6	50.5	227.7	185.9	130.1	21.6	125.7
1923	50.0	242.9	24.3	50.2	231.0	183.8	135.8	22.2	132.9
1924	50.5	238.5	24.3	50.1	234.4	181.7	138.2	22.8	141.8
1925	49.6	236.0	24.1	49.2	232.8	180.5	136.9	22.5	134.8
1926	48.6	233.5	24.0	48.4	231.1	179.3	131.5	22.2	126.7
1927	47.3	230.9	23.7	47.4	229.5	178.1	125.7	21.8	119.9
1928	45.9	228.5	23.6	46.4	228.0	176.8	121.1	21.6	116.1
1929	45.5	226.0	23.4	44.9	226.3	175.7	116.9	21.3	112.5
1930	45.4	223.8	23.0	43.5	222.9	170.0	114.2	21.2	108.5
1931	45.2	221.5	22.6	41.5	220.5	164.4	112.3	21.1	104.8
1932	44.5	219.3	22.2	39.3	217.2	158.9	110.0	21.1	105.3
1933	44.2	217.1	21.8	37.1	214.0	153.3	107.9	21.1	102.9
1934	43.9	214.9	21.5	34.5	208.8	147.7	106.4	20.9	99.1
1935	42.6	206.7	19.7	32.8	200.2	142.4	104.2	22.5	99.0
1936	40.3	199.8	18.0	31.1	191.6	136.9	103.0	24.6	97.6
1937	37.5	191.8	16.2	29.5	183.1	131.0	101.8	26.9	96.4
1938	35.4	185.4	14.5	27.9	172.8	124.5	100.7	29.2	96.3
1939	33.7	179.4	13.8	26.7	164.3	118.1	100.5	32.0	95.9
1940	33.6	177.2	13.6	26.5	163.3	116.8	100.4	35.5	94.4
1941	33.7	174.9	13.3	26.2	162.6	115.6	99.7	38.8	92.7
1942	33.6	173.0	13.1	26.0	161.8	114.4	99.6	43.3	91.5
1943	34.0	171.2	12.9	25.8	160.8	113.2	98.4	48.2	90.1
1944	34.6	170.4	12.8	25.6	159.3	112.1	99.8	53.6	88.7
1945	34.3	169.8	12.6	25.2	158.3	110.6	99.8	55.6	88.7
1946	34.0	168.8	12.3	24.8	157.3	109.2	100.3	57.5	88.6

1/ Noncitrus -- apples (total), peaches, pears, grapes, cherries, apricots, plums, prunes, figs, olives, avocados, dates, persimmons and pomegranates; citrus -- oranges, tangerines, grapefruit, lemons and limes; nuts -- almonds, filberts and walnuts.

## FRUITS AND NUTS: TOTAL BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Florida		Ohio	Indiana	Illinois	Michigan	Wisconsin	Minnesota	Iowa
	Including	Excluding							
	citrus	citrus							
Thousands									
1919	88.5	4.4	206.1	109.6	141.9	211.4	40.6	25.1	67.2
1920	99.3	4.5	203.8	108.6	145.4	210.2	40.3	24.3	64.7
1921	111.7	4.5	201.3	107.5	148.1	209.1	40.0	23.3	62.2
1922	124.3	4.8	198.8	107.6	150.8	209.2	39.7	22.6	60.0
1923	140.8	4.9	196.6	106.3	153.3	211.5	39.5	22.1	57.8
1924	165.3	4.7	193.6	105.8	146.7	215.0	39.3	21.6	54.9
1925	168.2	5.1	190.5	102.6	145.4	218.0	38.7	21.1	50.7
1926	189.7	5.5	187.0	96.8	145.0	221.6	38.0	20.5	48.6
1927	199.3	6.0	183.3	91.7	144.7	224.9	37.4	20.0	44.5
1928	207.2	6.4	181.5	86.9	144.2	227.8	36.8	19.5	42.4
1929	216.5	8.3	181.3	82.3	144.1	229.2	36.2	19.0	40.8
1930	228.2	8.0	182.7	81.9	145.0	234.5	36.6	18.7	41.3
1931	254.2	7.7	188.2	81.2	146.2	241.2	37.1	18.5	41.8
1932	272.6	7.2	193.8	80.9	147.5	247.3	37.6	18.4	42.5
1933	286.8	7.1	199.1	80.6	148.9	256.8	38.1	18.2	43.0
1934	298.5	6.7	203.7	80.5	150.2	261.5	38.5	17.6	43.4
1935	312.0	6.6	200.0	75.9	140.0	255.4	37.1	15.4	38.3
1936	320.7	6.6	176.5	67.8	128.3	245.3	35.6	11.8	32.7
1937	329.0	6.5	159.0	59.7	117.5	232.0	34.1	8.4	26.9
1938	335.4	6.4	146.7	53.3	105.0	222.0	32.7	7.3	25.1
1939	338.7	6.2	140.4	46.1	94.2	215.7	31.2	7.5	24.2
1940	349.1	6.3	138.0	46.3	91.4	216.8	32.1	7.4	24.0
1941	361.0	6.3	136.0	46.9	89.0	219.0	32.6	7.5	17.8
1942	370.7	6.3	133.9	47.5	85.5	222.7	33.4	7.8	16.2
1943	376.0	6.4	131.9	47.6	82.5	228.1	33.9	8.1	17.0
1944	381.3	6.5	129.5	47.5	80.4	232.6	34.4	8.6	17.8
1945	390.1	6.4	125.4	47.3	77.8	236.0	34.9	9.0	17.8
1946	394.5	5.3	121.4	47.0	76.2	237.3	35.0	9.7	17.9

Year	Missouri	South Dakota	Nebraska	Kansas	Kentucky	Tennessee	Alabama 1/	Miss- issippi 1/	Arkansas
Thousands									
1919	157.2	5.3	27.0	55.7	142.3	101.7	47.3	22.1	131.6
1920	149.8	5.2	25.0	53.6	139.0	100.2	48.4	21.6	125.3
1921	143.6	4.9	23.4	52.0	134.3	99.3	47.3	21.2	120.5
1922	137.4	4.7	22.4	50.2	130.7	98.4	52.3	21.0	116.9
1923	131.2	4.5	21.5	48.0	127.0	98.0	52.2	20.6	113.2
1924	125.1	4.4	20.7	45.7	123.3	97.9	39.8	20.0	109.6
1925	121.3	4.4	20.2	45.2	122.3	95.5	39.1	19.9	107.7
1926	117.7	4.3	19.8	44.5	121.4	93.1	38.5	19.7	105.9
1927	114.3	4.2	19.4	43.8	119.9	91.3	38.0	19.6	104.1
1928	109.6	4.1	18.9	43.1	118.4	89.5	37.1	19.5	102.3
1929	107.0	4.0	19.0	42.6	116.2	87.5	36.4	19.5	100.5
1930	106.8	3.9	19.2	43.2	112.9	84.6	36.7	20.0	99.0
1931	106.5	3.6	19.5	42.6	109.7	81.5	37.6	20.7	97.4
1932	106.4	3.3	19.6	42.5	106.4	78.6	38.5	21.5	96.1
1933	106.5	3.0	20.1	42.2	103.2	75.4	39.9	22.2	95.9
1934	107.3	2.8	20.3	42.0	99.9	72.3	41.2	22.8	96.0
1935	101.2	1.8	18.2	40.0	97.5	70.4	41.6	23.2	93.2
1936	95.0	1.5	16.1	36.6	95.3	68.2	42.0	23.4	90.3
1937	88.2	1.2	14.0	30.5	93.4	66.3	42.1	23.6	87.9
1938	81.9	1.0	11.2	27.6	91.4	64.2	42.6	23.9	85.1
1939	77.6	1.0	10.2	24.4	89.6	62.5	43.1	24.0	83.1
1940	75.8	1.0	10.0	23.2	88.2	60.4	43.3	24.0	81.5
1941	70.6	1.0	6.3	19.6	86.7	58.8	40.8	23.8	79.6
1942	67.5	1.0	5.6	14.4	85.3	57.2	41.1	23.7	77.8
1943	64.1	1.0	5.4	13.9	83.5	55.8	41.4	23.5	76.3
1944	63.9	1.0	5.3	14.3	81.8	54.2	41.7	23.8	73.4
1945	62.6	1.0	5.2	15.4	79.8	53.0	41.6	23.5	74.5
1946	61.2	1.0	5.3	16.3	78.0	51.9	41.6	23.4	74.1

1/ Includes some acreages of Satsuma oranges and tangerines, 1919-1940, which was nearly eliminated by low temperatures during the winter of 1939-40.

FRUITS AND NUTS: TOTAL BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Louisiana		Oklahoma	Texas		Montana	Idaho	Wyoming	Colorado
	Including	Excluding		Including	Excluding				
	citrus	citrus		citrus	citrus				
Thousands									
1919	8.8	7.7	80.7	84.3	84.0	19.0	54.8	1.2	38.4
1920	8.7	7.6	76.2	81.6	81.0	17.8	52.6	1.2	37.7
1921	8.6	7.4	71.2	79.3	78.0	16.6	50.4	1.2	36.9
1922	8.1	6.9	66.2	77.0	75.2	15.4	48.0	1.1	36.0
1923	7.9	6.6	61.3	75.0	72.4	14.2	45.8	1.1	35.0
1924	7.9	6.5	57.3	73.4	70.0	13.0	43.6	1.0	34.2
1925	8.1	6.4	54.5	72.2	68.0	11.8	42.1	1.0	32.4
1926	8.5	6.4	50.7	71.4	66.1	10.6	39.9	.9	30.5
1927	9.0	6.4	49.0	71.1	64.2	9.4	37.9	.9	28.8
1928	9.5	6.5	48.1	72.7	62.3	8.2	35.3	.9	27.0
1929	9.9	6.5	47.1	76.5	60.3	7.5	34.3	.8	25.1
1930	10.4	6.8	44.4	83.7	61.0	7.6	33.0	.8	24.9
1931	11.0	7.2	42.0	93.0	61.2	7.7	31.5	.8	24.7
1932	11.7	7.7	39.7	109.1	61.4	7.7	30.0	.8	24.5
1933	12.3	8.1	37.6	127.9	62.1	7.6	28.5	.8	24.2
1934	12.8	8.5	35.7	141.5	62.7	7.5	27.3	.8	23.9
1935	13.0	8.5	33.8	149.1	63.3	7.1	26.9	.8	23.3
1936	13.1	8.5	31.8	155.4	63.4	6.3	24.5	.7	22.8
1937	13.4	8.6	29.6	158.3	64.2	5.7	22.6	.6	22.4
1938	13.5	8.6	28.6	161.9	65.9	5.2	19.9	.6	22.0
1939	13.7	8.6	28.2	164.8	67.5	4.7	16.9	.6	21.5
1940	13.6	8.6	29.3	169.9	71.1	4.5	16.4	.6	21.6
1941	13.4	8.6	30.5	178.5	78.0	4.3	16.0	.6	21.8
1942	13.4	8.8	32.1	183.8	81.5	4.1	15.9	.6	22.1
1943	13.3	8.8	33.1	181.0	77.0	3.9	16.0	.6	22.5
1944	13.3	8.8	34.4	173.3	67.9	3.7	16.2	.6	22.7
1945	13.3	8.8	34.0	175.3	66.4	3.6	16.3	.6	22.6
1946	13.4	8.9	33.6	179.1	66.2	3.5	16.4	.6	22.3

Year	:	:	:		:	:	:	:	
	New	Arizona		Utah	Nevada	Washington	Oregon	California	
	Mexico	Including:	Excluding:					Including:	Excluding:
:	:	citrus	citrus	:	:	:	:	citrus	citrus
Thousands									
1919	14.6	3.9	3.2	17.0	.9	162.2	114.4	956.9	762.9
1920	14.1	4.1	3.2	16.7	.9	159.5	114.1	1,002.1	803.1
1921	13.7	4.0	3.1	16.3	.9	156.4	114.0	1,059.7	852.8
1922	13.3	4.0	3.0	16.1	.9	152.8	114.1	1,131.2	920.3
1923	12.9	4.3	3.1	15.8	1.0	149.3	114.3	1,212.6	998.1
1924	12.5	4.8	3.4	15.5	1.0	145.5	114.3	1,306.9	1,088.8
1925	12.0	4.9	3.4	15.2	1.0	142.6	114.0	1,400.3	1,179.4
1926	11.3	5.2	3.5	14.9	.9	138.9	113.9	1,486.0	1,258.2
1927	10.8	5.3	3.4	14.4	.9	135.9	114.6	1,544.9	1,314.3
1928	10.5	5.5	3.1	13.9	.8	133.3	116.5	1,575.0	1,339.7
1929	10.2	6.1	2.9	14.1	.8	134.0	119.4	1,581.4	1,340.7
1930	10.2	6.6	2.8	14.0	.8	132.9	119.1	1,570.1	1,326.1
1931	10.1	7.2	2.6	14.0	.8	130.8	119.3	1,557.5	1,307.9
1932	10.0	8.3	2.5	13.9	.8	129.2	119.3	1,540.4	1,287.2
1933	9.7	10.0	2.4	13.9	.8	128.0	119.4	1,504.0	1,252.8
1934	9.3	13.6	2.3	13.8	.8	126.4	118.0	1,488.9	1,228.1
1935	9.3	18.5	2.2	13.8	.8	123.2	118.3	1,466.9	1,200.6
1936	9.2	21.5	2.2	13.8	.7	121.6	118.4	1,451.5	1,178.3
1937	9.1	23.0	2.2	13.8	.7	120.5	118.7	1,472.5	1,189.0
1938	8.9	23.1	2.1	13.7	.6	121.6	117.3	1,476.7	1,184.6
1939	8.8	23.2	2.1	13.7	.6	122.8	117.0	1,471.5	1,173.9
1940	9.0	22.8	2.1	13.7	.6	123.0	116.9	1,460.2	1,159.6
1941	9.2	22.7	2.1	13.9	.6	123.5	116.9	1,459.2	1,156.3
1942	9.4	22.7	2.1	14.1	.6	124.1	117.5	1,459.0	1,153.5
1943	9.6	22.4	2.2	14.3	.6	124.8	117.7	1,467.9	1,157.0
1944	9.9	22.3	2.2	14.5	.6	126.8	118.6	1,476.3	1,161.2
1945	10.1	22.2	2.2	14.6	.6	130.2	120.6	1,491.7	1,172.1
1946	10.1	22.2	2.2	14.8	.6	133.3	122.4	1,501.4	1,180.0




## FRUITS AND NUTS: TOTAL BEARING ACREAGE, UNITED STATES, BY KINDS, 1919-1946

Year	Apples	Peaches	Pears	Grapes	Cherries	Plums and prunes	Apricots	Figs	Olives
Thousands									
1919	2,638.7	744.5	217.1	430.4	75.1	182.4	49.2	9.7	20.9
1920	2,590.0	745.1	218.2	451.1	74.9	190.6	52.4	10.7	22.5
1921	2,543.5	746.9	220.7	481.2	74.3	199.6	56.0	11.6	23.6
1922	2,499.4	750.5	225.5	520.2	73.3	210.2	61.0	12.8	24.7
1923	2,453.8	759.2	228.4	574.8	72.6	221.8	63.1	17.0	25.6
1924	2,409.5	759.2	230.2	643.6	71.9	233.9	65.2	21.4	26.7
1925	2,358.9	746.0	230.7	708.8	71.9	247.3	68.3	24.2	27.3
1926	2,301.9	732.4	229.0	753.8	72.4	259.7	74.0	31.4	28.1
1927	2,243.2	725.3	227.9	774.4	73.6	269.7	80.1	39.9	28.7
1928	2,187.9	717.6	229.6	777.4	75.0	276.7	83.0	43.9	28.6
1929	2,137.8	702.2	233.9	768.9	76.8	285.6	85.8	45.8	28.2
1930	2,113.7	695.2	235.1	748.1	82.8	284.2	85.4	46.8	27.3
1931	2,093.1	687.4	236.5	727.8	89.7	281.9	84.8	46.2	26.8
1932	2,071.8	676.1	239.3	713.9	95.8	278.6	84.8	45.6	26.0
1933	2,053.2	663.5	239.2	695.8	101.4	272.1	82.6	43.5	25.6
1934	2,025.0	648.6	235.1	684.8	105.5	264.4	81.9	41.7	25.0
1935	1,921.9	633.5	220.5	668.8	106.4	255.5	80.9	40.3	24.9
1936	1,815.7	614.2	208.6	650.9	106.7	248.2	79.8	39.2	24.7
1937	1,715.6	598.4	201.5	645.4	106.1	245.2	79.9	39.0	24.8
1938	1,627.9	587.5	194.6	638.9	105.8	238.9	78.6	38.5	24.4
1939	1,553.5	582.6	188.1	628.8	105.7	232.0	77.7	37.6	24.1
1940	1,532.4	597.0	184.0	624.5	105.5	223.6	75.5	36.5	24.0
1941	1,495.7	617.0	180.6	627.6	105.8	216.1	73.8	36.0	24.9
1942	1,470.9	635.6	178.5	627.7	105.6	211.7	72.7	35.3	25.1
1943	1,448.9	651.7	176.6	626.7	106.6	209.6	72.9	34.7	25.1
1944	1,436.1	664.6	175.2	625.4	106.9	207.6	72.7	34.6	25.1
1945	1,421.7	675.6	174.4	627.2	108.0	208.0	72.9	34.5	25.2
1946	1,409.0	683.1	174.1	627.3	108.8	207.9	73.4	34.4	25.1

Year	Avocados	Dates, Persimmons, and Pome- granates	Oranges 1/	Grapefruit	Lemons and limes	Walnuts	Almonds	Filberts	Total 21 fruits and nuts
Thousands									
1919	.3	.4	216.2	28.8	37.1	64.8	32.0	---	4,747.6
1920	.3	.5	226.4	34.9	39.8	67.3	35.8	---	4,760.5
1921	.4	.8	240.2	40.4	42.0	69.9	39.5	---	4,790.6
1922	.4	1.1	259.5	44.0	42.6	73.2	46.7	---	4,845.1
1923	.4	1.4	278.6	46.5	43.7	75.7	51.6	---	4,914.2
1924	.5	1.9	290.8	52.4	43.8	78.0	55.4	---	4,984.4
1925	.6	2.3	297.6	51.8	44.1	81.4	60.1	---	5,021.3
1926	.7	3.0	321.0	58.3	44.0	86.1	63.6	---	5,059.4
1927	.9	3.3	329.2	65.7	42.8	90.1	67.0	---	5,061.8
1928	1.2	3.6	339.2	72.3	42.6	94.7	70.9	---	5,044.2
1929	3.3	3.9	349.8	81.3	42.3	98.4	72.2	2.3	5,018.5
1930	3.8	3.8	364.5	88.6	42.5	104.4	72.1	2.9	5,001.2
1931	4.6	4.0	391.0	104.0	42.7	110.5	71.7	3.6	5,006.3
1932	5.8	4.2	413.1	121.9	42.6	114.7	71.2	4.3	5,009.7
1933	7.2	4.0	426.9	141.3	42.2	119.3	71.0	5.0	4,993.8
1934	8.9	3.9	449.7	157.1	42.5	122.0	71.0	5.5	4,972.6
1935	10.2	3.8	465.9	172.2	42.8	125.6	71.0	6.4	4,850.6
1936	11.9	4.0	478.9	182.5	44.5	129.1	70.6	7.1	4,715.6
1937	13.3	4.4	492.8	187.3	48.3	132.6	72.1	8.0	4,614.7
1938	14.2	4.6	503.9	189.4	52.7	135.2	72.9	9.0	4,517.0
1939	14.8	4.7	510.3	190.8	55.7	136.5	73.8	10.0	4,426.7
1940	15.3	4.7	521.6	190.9	58.4	137.2	75.1	11.0	4,417.2
1941	15.5	4.6	530.1	191.7	61.7	137.4	77.0	11.8	4,407.3
1942	15.1	4.8	541.6	193.0	62.8	137.5	79.5	12.9	4,410.3
1943	15.5	4.9	549.6	194.1	65.5	137.4	82.2	13.8	4,415.8
1944	15.8	5.0	557.5	194.6	67.8	137.8	84.8	14.8	4,426.3
1945	16.1	5.1	569.8	196.6	70.3	138.2	88.7	16.7	4,449.0
1946	15.4	5.3	578.4	198.5	71.1	138.6	92.0	18.6	4,461.0

1/ Includes tangerines.

APPLES: TOTAL BEARING ACREAGE, UNITED STATES,  
BY AREAS, 1919-46




U. S. DEPARTMENT OF AGRICULTURE

NEG. 46852

BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 3

APPLES, COMMERCIAL AND NONCOMMERCIAL: TOTAL BEARING  
ACREAGE, UNITED STATES, BY AREAS, 1934-46



U. S. DEPARTMENT OF AGRICULTURE

FIGURE 4

NEG. 46853

BUREAU OF AGRICULTURAL ECONOMICS

APPLES - TOTAL: BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Total	Eastern States			Central States			Total Western States 5/
		North Atlantic1/	South Atlantic2/	Total	North Central3/	South Central4/	Total	
		Thousands						
1919	2,638.7	608.0	536.5	1,144.5	794.5	348.8	1,143.3	350.9
1920	2,590.0	604.3	539.3	1,143.6	770.8	332.7	1,103.5	342.9
1921	2,543.5	602.6	543.0	1,145.6	748.2	316.1	1,064.3	333.6
1922	2,499.4	599.5	547.4	1,146.9	726.7	301.4	1,028.1	324.4
1923	2,453.8	595.4	551.0	1,146.4	705.8	287.3	993.1	314.3
1924	2,409.5	591.9	555.4	1,147.3	683.3	275.2	958.5	303.7
1925	2,358.9	581.4	551.5	1,132.9	668.1	266.7	934.8	291.2
1926	2,301.9	570.8	544.3	1,115.1	652.1	259.0	911.1	275.7
1927	2,243.2	559.2	537.1	1,096.3	634.8	251.2	886.0	260.9
1928	2,187.9	547.4	530.8	1,078.2	620.7	243.9	864.6	245.1
1929	2,137.8	536.0	524.5	1,060.5	611.4	236.1	847.5	229.8
1930	2,113.7	534.0	513.3	1,047.3	616.1	227.8	843.9	222.5
1931	2,093.1	531.9	503.1	1,035.0	624.2	219.3	843.5	214.6
1932	2,071.8	529.5	491.6	1,021.1	632.0	211.5	843.5	207.2
1933	2,053.2	525.1	480.4	1,005.5	643.1	205.0	848.1	199.6
1934	2,025.0	517.7	466.6	984.3	649.4	199.3	848.7	192.0
1935	1,921.9	481.0	447.0	928.0	616.4	193.4	809.8	184.1
1936	1,815.7	462.8	428.3	891.1	561.3	187.5	748.8	175.8
1937	1,715.6	443.1	409.1	852.2	510.0	183.0	693.0	170.4
1938	1,627.9	426.6	387.2	813.8	471.0	177.9	648.9	165.2
1939	1,553.5	406.4	369.0	775.4	445.0	174.1	619.1	159.0
1940	1,532.4	404.4	364.4	768.8	437.7	170.0	607.7	155.9
1941	1,495.7	401.8	358.3	760.1	417.6	165.5	583.1	152.5
1942	1,470.9	400.8	352.7	753.5	405.1	161.6	566.7	150.7
1943	1,448.9	398.6	346.5	745.1	397.7	157.6	555.3	148.5
1944	1,436.1	398.4	341.3	739.7	394.5	153.6	548.1	148.3
1945	1,421.7	397.1	336.1	733.2	387.8	150.9	538.7	149.8
1946	1,409.0	395.2	332.5	727.7	381.6	148.6	530.2	151.1

1/ Maine, N.H., Vt., Mass., R.I., Conn., N.Y., N.J., and Pa.

2/ Del., Md., Va., W.Va., N.C., S.C., and Ga.

3/ Ohio, Ind., Ill., Mich., Wis., Minn., Iowa, Mo., S.Dak., Nebr., and Kans.

4/ Ky., Tenn., Ala., Miss., Ark., La., Okla., and Texas.

5/ Mont., Idaho, Wyo., Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg. and Calif.

APPLES - TOTAL: BEARING ACREAGE, BY STATES, 1919-1946

Year	Maine	New Hampshire	Vermont	Massachusetts	Rhode Island	Connecticut	New York	New Jersey
Thousands								
1919	57.8	15.4	13.7	25.4	3.9	16.9	267.7	18.5
1920	56.2	14.9	12.3	26.2	3.9	17.0	266.8	19.8
1921	54.6	14.4	12.3	27.0	3.9	17.0	265.9	21.3
1922	53.0	13.9	12.2	27.8	3.9	17.0	264.9	22.5
1923	51.4	13.5	11.6	28.4	3.9	17.0	264.0	22.8
1924	49.8	13.2	11.0	29.2	3.9	17.1	263.0	23.3
1925	47.6	12.9	11.2	29.2	3.9	16.8	256.4	24.2
1926	45.4	12.5	11.5	29.2	4.0	16.5	249.8	24.9
1927	43.0	11.8	11.7	29.2	4.0	16.1	243.2	25.5
1928	40.2	11.4	11.9	29.2	4.0	15.8	236.6	25.8
1929	37.5	10.8	12.1	29.3	4.1	15.5	230.1	26.4
1930	36.0	11.1	11.8	30.7	4.2	16.4	228.2	26.8
1931	34.5	11.4	11.5	32.0	4.3	17.3	226.3	27.3
1932	33.0	11.6	11.1	33.3	4.4	18.2	224.4	27.7
1933	29.5	11.3	10.7	34.7	4.5	19.2	222.5	27.9
1934	22.6	12.8	10.3	35.9	4.6	20.2	220.5	28.0
1935	16.9	12.2	9.6	35.3	4.5	18.8	199.4	27.6
1936	15.9	11.6	9.0	34.7	4.3	17.4	191.4	26.5
1937	14.9	10.9	8.3	34.0	4.2	16.0	183.8	25.0
1938	13.9	10.2	7.7	33.4	4.1	14.6	177.3	23.9
1939	12.9	9.5	7.1	30.0	4.0	13.2	169.3	23.4
1940	13.1	9.6	7.3	30.0	3.9	13.4	169.8	22.8
1941	13.3	9.7	7.5	30.0	3.9	13.6	169.5	22.3
1942	13.5	9.8	7.7	30.0	3.8	13.8	170.4	21.8
1943	13.7	10.0	7.9	30.1	3.7	14.0	169.8	21.4
1944	13.9	10.2	8.1	30.4	3.7	14.3	170.0	21.1
1945	14.1	10.2	8.1	30.2	3.7	14.3	169.8	20.6
1946	14.3	10.2	8.1	30.0	3.7	14.2	169.5	20.1



APPLES - TOTAL: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Penn- sylvania	Delaware	Maryland	Virginia	West Virginia	North Carolina	South Carolina	Georgia	Ohio	Indiana
Thousands										
1919	188.7	16.3	36.7	193.0	163.4	87.1	9.0	31.0	145.6	92.7
1920	187.2	16.3	36.9	196.4	162.9	87.6	9.0	30.2	144.3	90.8
1921	185.7	16.4	37.1	199.8	162.4	88.9	8.9	29.5	142.9	88.6
1922	184.3	16.4	37.3	203.2	162.0	90.2	8.9	29.4	141.6	86.7
1923	182.8	16.4	37.5	206.6	161.6	91.4	8.9	28.6	140.3	84.7
1924	181.4	16.5	37.7	210.0	161.2	92.5	8.8	28.7	138.4	83.0
1925	179.2	16.5	37.4	209.0	160.8	91.7	8.4	27.7	135.9	80.0
1926	177.0	16.5	37.0	208.0	160.4	87.8	8.0	26.6	133.0	74.4
1927	174.7	16.5	36.5	207.0	160.0	83.6	7.6	25.9	130.0	69.5
1928	172.5	16.5	36.0	206.0	159.5	80.5	7.2	25.1	129.0	65.0
1929	170.2	16.5	35.0	204.9	159.0	77.8	6.8	24.5	129.0	61.0
1930	168.8	16.3	34.0	202.0	153.7	76.1	6.7	24.5	129.3	61.0
1931	167.3	16.1	32.5	200.0	148.4	74.7	6.7	24.7	132.7	61.1
1932	165.8	15.8	31.0	197.0	143.2	73.0	6.5	25.1	136.1	61.1
1933	164.3	15.6	29.5	194.0	138.0	71.4	6.4	25.5	139.5	61.2
1934	162.8	15.4	27.5	189.0	132.8	70.0	6.3	25.6	142.3	61.3
1935	156.7	13.8	26.1	180.5	127.9	68.2	6.1	24.4	140.0	58.0
1936	152.0	12.3	24.7	172.0	123.0	67.2	6.1	23.0	127.0	51.0
1937	146.0	10.8	23.4	163.5	117.5	66.1	6.0	21.8	116.0	45.9
1938	141.5	9.5	22.0	153.0	111.5	64.7	5.8	20.7	107.0	41.4
1939	137.0	9.1	20.9	144.0	105.5	64.1	5.7	19.7	102.4	38.2
1940	134.5	9.0	20.5	142.5	103.9	63.7	5.6	19.2	100.4	37.8
1941	132.0	8.9	20.1	141.0	102.3	62.0	5.4	18.6	98.8	37.7
1942	130.0	8.8	19.7	139.5	100.8	60.3	5.3	18.3	97.2	37.2
1943	128.0	8.7	19.3	138.0	99.2	58.1	5.3	17.9	95.5	36.9
1944	126.7	8.6	18.9	136.0	97.7	57.3	5.2	17.6	93.2	36.6
1945	126.1	8.4	18.6	134.5	95.8	56.2	5.1	17.5	90.0	36.3
1946	125.1	8.2	18.3	133.5	94.0	56.1	5.0	17.4	86.5	36.0

Year	Illinois	Michigan	Wisconsin	Minnesota	Iowa	Missouri	South Dakota	Nebraska	Kansas	Kentucky
Thousands										
1919	118.8	136.1	35.7	25.1	61.0	112.2	5.3	24.0	38.0	121.6
1920	115.0	134.9	35.3	24.3	58.0	105.0	5.2	22.0	36.0	119.0
1921	111.0	133.9	34.9	23.3	55.0	98.5	4.9	20.5	34.7	115.0
1922	107.0	133.0	34.6	22.6	52.0	92.0	4.7	19.5	33.0	112.0
1923	102.8	133.1	34.3	22.1	49.0	85.5	4.5	18.5	31.0	109.0
1924	96.2	133.6	34.0	21.6	46.0	79.6	4.4	17.5	29.0	106.0
1925	95.1	133.3	33.3	21.1	42.0	77.2	4.4	17.0	28.8	105.0
1926	94.0	133.4	32.5	20.5	40.0	75.0	4.3	16.4	28.6	104.0
1927	93.0	133.3	31.7	20.0	36.0	73.0	4.2	15.7	28.4	102.5
1928	92.2	133.2	30.9	19.5	34.0	69.6	4.1	15.0	28.2	101.0
1929	91.7	133.2	30.1	19.0	32.5	68.2	4.0	14.7	28.0	98.7
1930	92.6	136.8	30.0	18.7	32.9	67.8	3.9	14.9	28.2	95.6
1931	93.5	141.0	29.9	18.5	33.3	67.3	3.6	15.1	28.2	92.3
1932	94.5	144.6	29.8	18.4	33.7	67.1	3.3	15.2	28.2	89.1
1933	95.5	151.4	29.7	18.2	34.0	67.0	3.0	15.4	28.2	85.8
1934	96.4	153.6	29.5	17.6	34.4	67.8	2.8	15.5	28.2	82.5
1935	90.0	148.8	28.0	15.4	30.0	63.0	1.8	14.0	27.4	80.2
1936	82.5	140.3	26.4	11.8	25.0	58.5	1.5	12.3	25.0	78.1
1937	76.0	131.0	24.8	8.4	20.0	54.0	1.2	10.9	21.8	76.4
1938	69.5	124.2	23.2	7.3	19.0	50.0	1.0	8.6	19.8	74.6
1939	63.4	119.9	21.6	7.5	18.8	47.5	1.0	7.8	16.9	73.0
1940	60.7	119.6	22.4	7.4	18.5	46.0	1.0	7.5	16.4	71.4
1941	58.2	119.7	22.9	7.5	13.1	41.0	1.0	3.9	13.8	69.9
1942	54.7	120.0	23.8	7.8	12.1	38.0	1.0	3.3	10.0	68.4
1943	51.7	120.1	24.2	8.1	12.9	35.0	1.0	3.1	9.2	66.8
1944	49.5	120.0	24.8	8.6	13.6	35.0	1.0	3.1	9.1	65.2
1945	47.0	119.9	25.2	9.0	13.6	33.7	1.0	3.1	9.0	63.8
1946	45.5	119.8	25.2	9.7	13.6	32.2	1.0	3.3	8.8	62.3

APPLES - TOTAL: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Tennessee	Alabama	Mississippi	Arkansas	Louisiana	Oklahoma	Texas	Montana	Idaho
Thousands									
1919	70.7	23.2	5.6	84.9	1.2	32.2	9.4	19.0	44.2
1920	68.9	22.0	5.2	77.9	1.2	30.0	8.5	17.8	41.9
1921	67.5	21.0	4.8	71.6	1.1	27.5	7.6	16.6	39.6
1922	66.2	19.9	4.5	66.0	1.0	25.0	6.8	15.4	37.3
1923	65.1	18.8	4.2	60.8	.9	22.5	6.0	14.2	35.0
1924	64.2	17.7	3.9	56.2	.8	20.9	5.5	13.0	32.7
1925	61.5	16.9	3.7	53.8	.7	20.0	5.1	11.8	31.3
1926	58.9	16.1	3.5	51.5	.7	19.5	4.8	10.6	29.9
1927	56.7	15.3	3.3	49.2	.7	19.0	4.5	9.4	28.5
1928	54.7	14.5	3.1	47.1	.7	18.5	4.3	8.2	27.0
1929	52.4	14.3	3.0	45.0	.7	17.9	4.1	7.0	25.5
1930	50.4	14.3	3.0	42.9	.7	17.0	3.9	7.0	24.4
1931	48.4	14.3	3.1	40.8	.7	16.0	3.7	7.0	23.3
1932	46.7	14.5	3.2	38.8	.7	15.0	3.5	7.0	22.2
1933	44.9	14.7	3.3	38.0	.7	14.3	3.3	6.9	21.1
1934	43.3	14.9	3.4	37.6	.7	13.7	3.2	6.8	20.0
1935	42.2	14.8	3.5	35.8	.7	13.0	3.2	6.4	19.6
1936	41.1	14.7	3.5	34.0	.7	12.3	3.1	5.9	17.2
1937	40.3	14.6	3.6	32.6	.7	11.7	3.1	5.3	15.5
1938	39.3	14.5	3.7	31.0	.7	11.0	3.1	4.8	12.6
1939	38.5	14.5	3.7	30.1	.7	10.5	3.1	4.3	9.5
1940	37.3	14.5	3.8	28.6	.7	10.6	3.1	4.0	8.7
1941	36.2	14.5	3.9	26.5	.7	10.8	3.0	3.7	8.1
1942	35.1	14.5	4.0	24.8	.7	11.2	2.9	3.4	8.0
1943	34.2	14.5	4.0	23.4	.7	11.2	2.8	3.1	7.9
1944	33.2	14.5	4.0	22.1	.7	11.2	2.7	2.9	7.9
1945	32.7	14.5	4.0	21.4	.7	11.2	2.6	2.8	7.9
1946	32.4	14.5	4.0	21.0	.7	11.2	2.5	2.7	7.9

Year	Wyoming	Colorado	New Mexico	Arizona	Utah	Nevada	Washington	Oregon	California
Thousands									
1919	1.2	29.6	11.5	1.7	9.7	.7	132.0	58.2	43.1
1920	1.2	28.8	11.1	1.7	9.3	.7	129.0	56.0	45.4
1921	1.2	28.0	10.8	1.6	8.9	.7	125.5	53.8	46.9
1922	1.1	27.2	10.5	1.6	8.5	.7	121.5	51.7	48.9
1923	1.1	26.3	10.2	1.6	8.1	.8	117.5	49.6	49.9
1924	1.0	25.5	9.9	1.6	7.7	.8	113.0	47.4	51.1
1925	1.0	23.8	9.4	1.5	7.4	.8	108.5	43.4	52.3
1926	.9	22.0	8.7	1.4	7.1	.7	102.5	39.4	52.5
1927	.9	20.2	8.2	1.4	6.8	.7	97.5	35.4	51.9
1928	.9	18.4	7.8	1.3	6.5	.6	93.0	31.4	50.0
1929	.8	16.6	7.4	1.2	6.2	.6	89.0	27.6	47.9
1930	.8	16.0	7.3	1.2	6.1	.6	86.5	26.5	46.1
1931	.8	15.4	7.2	1.2	5.9	.6	83.0	25.3	44.9
1932	.8	14.8	7.1	1.2	5.7	.6	80.0	24.1	43.7
1933	.8	14.2	6.9	1.2	5.6	.6	77.5	23.0	41.8
1934	.8	13.6	6.5	1.2	5.5	.6	74.8	21.8	40.4
1935	.8	12.8	6.6	1.1	5.2	.6	71.5	20.5	39.0
1936	.7	12.1	6.7	1.1	5.0	.5	70.0	19.1	37.5
1937	.6	11.4	6.7	1.1	4.8	.5	69.0	17.8	37.7
1938	.6	10.7	6.6	1.1	4.7	.4	69.9	16.6	37.2
1939	.6	10.0	6.6	1.1	4.6	.4	70.7	15.4	35.8
1940	.6	9.9	6.8	1.1	4.5	.4	70.1	15.0	34.8
1941	.6	9.8	6.9	1.1	4.4	.4	70.1	14.5	32.9
1942	.6	9.8	7.0	1.1	4.4	.4	69.6	14.2	32.2
1943	.6	9.7	7.1	1.1	4.3	.4	69.1	13.9	31.3
1944	.6	9.6	7.2	1.1	4.3	.4	69.6	13.5	31.2
1945	.6	9.3	7.3	1.1	4.3	.4	71.2	13.3	31.6
1946	.6	9.0	7.3	1.1	4.2	.4	73.0	13.1	31.8

APPLES - COMMERCIAL AREAS: BEARING ACREAGE, UNITED STATES, BY AREAS, 1934-1946

Year	Total	Eastern States			Central States			Total Western States <sup>5/</sup>
		North	South	Total	North	South	Total	
		Atlantic <sup>1/</sup>	Atlantic <sup>2/</sup>		Central <sup>3/</sup>	Central <sup>4/</sup>		
Thousands								
1934	1,166.5	387.2	239.4	626.6	342.2	41.5	383.7	156.2
1935	1,114.5	361.6	231.1	592.7	331.6	39.0	370.6	151.2
1936	1,068.3	350.1	222.6	572.7	313.1	36.8	349.9	145.7
1937	1,026.6	339.6	214.0	553.6	295.4	34.9	330.3	142.7
1938	988.4	331.4	203.7	535.1	281.0	32.9	313.9	139.4
1939	950.4	319.8	195.7	515.5	268.5	31.5	300.0	134.9
1940	940.2	320.6	194.6	515.2	262.6	29.9	292.5	132.5
1941	919.3	320.2	193.3	513.5	248.4	28.0	276.4	129.4
1942	905.7	321.2	192.5	513.7	238.0	26.5	264.5	127.5
1943	889.4	321.1	186.5	507.6	231.4	24.9	256.3	125.5
1944	884.9	322.8	186.4	509.2	226.7	23.5	250.2	125.5
1945	877.7	322.1	184.0	506.1	221.5	22.9	244.4	127.2
1946	872.4	321.2	182.3	503.5	217.6	22.6	240.2	128.7

1/ Maine, N.H., Vt., Mass., R.I., Conn., N.Y., N.J., and Pa.

2/ Del., Md., Va., W.Va., N.C., and - through 1942 - Ga.

3/ Ohio, Ind., Ill., Mich., Wis., Minn., Iowa, Mo., Nebr., and Kans.

4/ Ky., Tenn., and Ark.

5/ Mont., Idaho, Colo., N.Mex., Utah, Wash., Oreg., and Calif.

APPLES - COMMERCIAL AREAS: BEARING ACREAGE, BY STATES, 1934-1946

Year	Maine	New Hampshire	Vermont	Massa- chusetts	Rhode Island	Connect- icut	New York	New Jersey
Thousands								
1934	14.6	10.4	6.0	29.8	3.1	15.7	185.7	25.9
1935	10.8	10.0	5.8	29.5	3.1	14.8	168.1	25.5
1936	10.2	9.6	5.7	29.2	3.0	13.9	162.0	24.5
1937	9.6	9.2	5.5	28.9	3.0	13.0	157.4	23.0
1938	9.2	8.7	5.4	28.7	3.0	12.1	153.8	22.0
1939	9.1	8.2	5.2	25.7	3.0	11.2	148.8	21.6
1940	9.2	8.3	5.4	26.0	3.0	11.2	150.4	21.1
1941	9.3	8.4	5.6	26.3	3.0	11.2	150.7	20.7
1942	9.5	8.4	5.8	26.6	3.0	11.2	152.4	20.3
1943	9.7	8.5	6.0	26.9	3.0	11.2	152.7	20.1
1944	9.9	8.6	6.2	27.3	3.0	11.2	153.8	20.0
1945	10.1	8.6	6.2	27.1	3.0	11.2	153.9	19.5
1946	10.3	8.6	6.2	26.9	3.0	11.2	154.0	19.0

Year	Penn- sylvania	Delaware	Maryland	Virginia	West Virginia	North Carolina	Georgia 1/	Ohio
Thousands								
1934	96.0	14.4	19.8	121.0	55.3	19.3	9.6	86.4
1935	94.0	12.9	19.0	116.5	54.4	19.3	9.0	85.0
1936	92.0	11.4	18.2	112.0	53.5	19.1	8.4	80.0
1937	90.0	10.0	17.5	107.5	52.0	19.2	7.8	75.0
1938	88.5	8.7	16.7	102.0	50.0	19.0	7.3	71.0
1939	87.0	8.4	16.0	97.0	48.8	18.9	6.6	68.9
1940	86.0	8.3	15.6	96.5	49.1	18.9	6.2	67.5
1941	85.0	8.2	15.2	96.0	49.4	18.9	5.6	66.5
1942	84.0	8.1	14.8	95.5	49.8	18.9	5.4	65.5
1943	83.0	8.0	14.4	95.0	50.2	18.9	---	64.5
1944	82.8	7.9	14.0	95.0	50.6	18.9	---	62.9
1945	82.5	7.7	13.8	94.0	49.8	18.7	---	61.0
1946	82.0	7.5	13.6	93.5	49.0	18.7	---	59.0

1/ Georgia dropped from commercial list of States effective with 1943.



APPLES - COMMERCIAL AREAS: BEARING ACREAGE, BY STATES, 1934-1946, Continued

Year	Indiana	Illinois	Michigan	Wisconsin	Minnesota	Iowa	Missouri
Thousands							
1934	29.6	64.6	84.3	6.4	4.4	7.5	36.5
1935	28.7	61.0	83.1	6.3	4.1	7.0	34.0
1936	26.4	56.5	81.5	6.1	3.3	6.5	32.0
1937	24.4	53.0	79.5	5.9	2.7	6.0	30.0
1938	22.6	49.5	76.9	5.7	2.6	5.6	29.0
1939	20.8	46.2	74.9	5.5	2.5	5.3	28.0
1940	20.4	43.5	74.8	5.8	2.4	5.2	27.0
1941	20.2	41.0	74.9	5.8	2.4	3.2	23.0
1942	20.0	37.5	75.2	6.1	2.3	2.1	21.0
1943	19.8	34.5	75.6	6.2	2.3	1.9	19.0
1944	19.4	32.3	75.8	6.3	2.3	1.7	18.5
1945	19.2	30.0	75.9	6.4	2.3	1.8	17.7
1946	19.0	29.0	76.0	6.4	2.4	1.9	17.0

Year	Nebraska	Kansas	Kentucky	Tennessee	Arkansas	Montana	Idaho
Thousands							
1934	6.1	16.4	10.0	8.2	23.3	5.0	14.9
1935	6.0	16.4	9.2	7.9	21.9	4.8	14.6
1936	5.8	15.0	8.6	7.6	20.6	4.5	12.5
1937	5.6	13.3	8.1	7.4	19.4	4.1	11.5
1938	5.3	12.8	7.6	7.1	18.2	3.7	9.4
1939	5.0	11.4	7.1	6.9	17.5	3.4	6.8
1940	4.9	11.1	6.7	6.8	16.4	3.1	6.2
1941	2.0	9.4	6.4	6.8	14.8	2.8	5.6
1942	1.4	6.9	6.1	6.8	13.6	2.5	5.5
1943	1.3	6.3	5.7	6.7	12.5	2.2	5.4
1944	1.3	6.2	5.3	6.7	11.5	2.1	5.4
1945	1.3	5.9	5.1	6.6	11.2	2.0	5.4
1946	1.3	5.6	5.0	6.5	11.1	1.9	5.4

Year	Colorado	New Mexico	Utah	Washington	Oregon	California
Thousands						
1934	11.7	5.0	4.2	65.7	14.0	35.7
1935	11.0	5.1	4.0	63.5	13.2	35.0
1936	10.4	5.2	3.9	63.0	12.3	33.9
1937	9.8	5.3	3.8	62.5	11.5	34.2
1938	9.2	5.3	3.7	63.5	10.8	33.8
1939	8.6	5.3	3.6	64.5	10.1	32.6
1940	8.5	5.4	3.5	64.0	9.9	31.9
1941	8.4	5.4	3.4	64.0	9.6	30.2
1942	8.3	5.4	3.4	63.5	9.4	29.5
1943	8.2	5.5	3.3	63.0	9.2	28.7
1944	8.1	5.5	3.3	63.5	8.9	28.7
1945	7.9	5.6	3.3	65.1	8.8	29.1
1946	7.7	5.6	3.3	66.9	8.7	29.2

APPLES - NON-COMMERCIAL AREAS: BEARING ACREAGE, UNITED STATES, BY AREAS, 1934-1946

Year	Total	Eastern States			Central States			Total Western States 5/
		North	South	Total	North	South	Total	
		Atlantic 1/	Atlantic 2/		Central 3/	Central 4/		
Thousands								
1934	858.5	130.5	227.2	357.7	307.2	157.8	465.0	35.8
1935	807.4	119.4	215.9	335.3	284.8	154.4	439.2	32.9
1936	747.4	112.7	205.7	318.4	248.2	150.7	398.9	30.1
1937	689.0	103.5	195.1	298.6	214.6	148.1	362.7	27.7
1938	639.5	95.2	183.5	278.7	190.0	145.0	335.0	25.8
1939	603.1'	86.6	173.3	259.9	176.5	142.6	319.1	24.1
1940	592.2	83.8	169.8	253.6	175.1	140.1	315.2	23.4
1941	576.4	81.6	165.0	246.6	169.2	137.5	306.7	23.1
1942	565.2	79.6	160.2	239.8	167.1	135.1	302.2	23.2
1943	559.5	77.5	160.0	237.5	166.3	132.7	299.0	23.0
1944	551.2	75.6	154.9	230.5	167.8	130.1	297.9	22.8
1945	544.0	75.0	152.1	227.1	166.3	128.0	294.3	22.6
1946	536.6	74.0	150.2	224.2	164.0	126.0	290.0	22.4

1/ Maine, N. H., Vt., Mass., R.I., Conn., N.Y., N.J., and Pa.

2/ Del., Md., Va., W.Va., N.C., S.C., and Ga.

3/ Ohio, Ind., Ill., Mich., Wis., Minn., Iowa, Mo., S.Dak., Nebr., and Kans.

4/ Ky., Tenn., Ala., Miss., Ark., La., Okla., and Texas.

5/ Mont., Idaho, Wyo., Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg., and Calif.

APPLES - NON-COMMERCIAL AREAS: BEARING ACREAGE, BY STATES, 1934-1946

Year	Maine	New Hampshire	Vermont	Massa- chusetts	Rhode Island	Con- necticut	New York	New Jersey
Thousands								
1934	8.0	2.4	4.3	6.1	1.5	4.5	34.8	2.1
1935	6.1	2.2	3.8	5.8	1.4	4.0	31.3	2.1
1936	5.7	2.0	3.3	5.5	1.3	3.5	29.4	2.0
1937	5.3	1.7	2.8	5.1	1.2	3.0	26.4	2.0
1938	4.7	1.5	2.3	4.7	1.1	2.5	23.5	1.9
1939	3.8	1.3	1.9	4.3	1.0	2.0	20.5	1.8
1940	3.9	1.3	1.9	4.0	.9	2.2	19.4	1.7
1941	4.0	1.3	1.9	3.7	.9	2.4	18.8	1.6
1942	4.0	1.4	1.9	3.4	.8	2.6	18.0	1.5
1943	4.0	1.5	1.9	3.2	.7	2.8	17.1	1.3
1944	4.0	1.6	1.9	3.1	.7	3.1	16.2	1.1
1945	4.0	1.6	1.9	3.1	.7	3.1	15.9	1.1
1946	4.0	1.6	1.9	3.1	.7	3.0	15.5	1.1

Year	Penn- sylvania	Delaware	Maryland	Virginia	West Virginia	North Carolina	South Carolina	Georgia 1/
Thousands								
1934	66.8	1.0	7.7	68.0	77.5	50.7	6.3	16.0
1935	62.7	.9	7.1	64.0	73.5	48.9	6.1	15.4
1936	60.0	.9	6.5	60.0	69.5	48.1	6.1	14.6
1937	56.0	.8	5.9	56.0	65.5	46.9	6.0	14.0
1938	53.0	.8	5.3	51.0	61.5	45.7	5.8	13.4
1939	50.0	.7	4.9	47.0	56.7	45.2	5.7	13.1
1940	48.5	.7	4.9	46.0	54.8	44.8	5.6	13.0
1941	47.0	.7	4.9	45.0	52.9	43.1	5.4	13.0
1942	46.0	.7	4.9	44.0	51.0	41.4	5.3	12.9
1943	45.0	.7	4.9	43.0	49.0	39.2	5.3	17.9
1944	43.9	.7	4.9	41.0	47.1	38.4	5.2	17.6
1945	43.6	.7	4.8	40.5	46.0	37.5	5.1	17.5
1946	43.1	.7	4.7	40.0	45.0	37.4	5.0	17.4

1/ Georgia divided into commercial and non-commercial areas 1934-42; dropped from commercial list of States effective with 1943.

APPLES - NON-COMMERCIAL AREAS: BEARING ACREAGE, BY STATES, 1934-1946, Continued


Year	Ohio	Indiana	Illinois	Michigan	Wisconsin	Minnesota	Iowa	Missouri	South Dakota	Nebraska
Thousands										
1934	55.9	31.7	31.8	69.3	23.1	13.2	26.9	31.3	2.8	9.4
1935	55.0	29.3	29.0	65.7	21.7	11.3	23.0	29.0	1.8	8.0
1936	47.0	24.6	26.0	58.8	20.3	8.5	18.5	26.5	1.5	6.5
1937	41.0	21.5	23.0	51.5	18.9	5.7	14.0	24.0	1.2	5.3
1938	36.0	18.8	20.0	47.3	17.5	4.7	13.4	21.0	1.0	3.3
1939	33.5	17.4	17.2	45.0	16.1	5.0	13.5	19.5	1.0	2.8
1940	32.9	17.4	17.2	44.8	16.6	5.0	13.3	19.0	1.0	2.6
1941	32.3	17.5	17.2	44.8	17.1	5.1	9.9	13.0	1.0	1.9
1942	31.7	17.2	17.2	44.8	17.7	5.5	10.0	17.0	1.0	1.9
1943	31.0	17.1	17.2	44.5	18.0	5.8	11.0	16.0	1.0	1.8
1944	30.3	17.2	17.2	44.2	18.5	6.3	11.9	16.5	1.0	1.8
1945	29.0	17.1	17.0	44.0	18.8	6.7	11.8	16.0	1.0	1.8
1946	27.5	17.0	16.5	43.8	18.8	7.3	11.7	15.2	1.0	2.0

Year	Kansas	Kentucky	Tennessee	Alabama	Mississippi	Arkansas	Louisiana	Oklahoma	Texas	Montana
Thousands										
1934	11.8	72.5	35.1	14.9	3.4	14.3	.7	13.7	3.2	1.8
1935	11.0	71.0	34.3	14.8	3.5	13.9	.7	13.0	3.2	1.6
1936	10.0	69.5	33.5	14.7	3.5	13.4	.7	12.3	3.1	1.4
1937	8.5	68.3	32.9	14.6	3.6	13.2	.7	11.7	3.1	1.2
1938	7.0	67.0	32.2	14.5	3.7	12.8	.7	11.0	3.1	1.1
1939	5.5	65.9	31.6	14.5	3.7	12.6	.7	10.5	3.1	.9
1940	5.3	64.7	30.5	14.5	3.8	12.2	.7	10.6	3.1	.9
1941	4.4	63.5	29.4	14.5	3.9	11.7	.7	10.8	3.0	.9
1942	3.1	62.3	28.3	14.5	4.0	11.2	.7	11.2	2.9	.9
1943	2.9	61.1	27.5	14.5	4.0	10.9	.7	11.2	2.8	.9
1944	2.9	59.9	26.5	14.5	4.0	10.6	.7	11.2	2.7	.8
1945	3.1	58.7	26.1	14.5	4.0	10.2	.7	11.2	2.6	.8
1946	3.2	57.3	25.9	14.5	4.0	9.9	.7	11.2	2.5	.8

Year	Idaho	Wyoming	Colorado	New Mexico	Arizona	Utah	Nevada	Washington	Oregon	California
Thousands										
1934	5.1	.8	1.9	1.5	1.2	1.3	.6	9.1	7.8	4.7
1935	5.0	.8	1.8	1.5	1.1	1.2	.6	8.0	7.3	4.0
1936	4.7	.7	1.7	1.5	1.1	1.1	.5	7.0	6.8	3.6
1937	4.0	.6	1.6	1.4	1.1	1.0	.5	6.5	6.3	3.5
1938	3.2	.6	1.5	1.3	1.1	1.0	.4	6.4	5.8	3.4
1939	2.7	.6	1.4	1.3	1.1	1.0	.4	6.2	5.3	3.2
1940	2.5	.6	1.4	1.4	1.1	1.0	.4	6.1	5.1	2.9
1941	2.5	.6	1.4	1.5	1.1	1.0	.4	6.1	4.9	2.7
1942	2.5	.6	1.5	1.6	1.1	1.0	.4	6.1	4.8	2.7
1943	2.5	.6	1.5	1.6	1.1	1.0	.4	6.1	4.7	2.6
1944	2.5	.6	1.5	1.7	1.1	1.0	.4	6.1	4.6	2.5
1945	2.5	.6	1.4	1.7	1.1	1.0	.4	6.1	4.5	2.5
1946	2.5	.6	1.3	1.7	1.1	.9	.4	6.1	4.4	2.6




PEACHES: TOTAL BEARING ACREAGE, UNITED STATES,  
BY AREAS, 1919-46



U. S. DEPARTMENT OF AGRICULTURE  
NEG. 46854 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 5

PEACHES: BEARING ACREAGE, CALIFORNIA, BY VARIETIES, AND  
WESTERN STATES (EXCLUDING CALIFORNIA), 1919-46



U. S. DEPARTMENT OF AGRICULTURE  
NEG. 46855 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 6

## PEACHES: BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Total	10	Eastern States			Central States			Western States	
		Southern	North	South	North	South	Total	Total	Total	
		States	Atlantic	Atlantic	Central	Central	Total	Total	Total	
		1/	2/	3/	4/	5/	6/	excluding California		
Thousands										
1919	744.5	300.8	101.6	170.8	272.4	121.6	228.3	349.9	122.2	25.7
1920	745.1	301.7	97.7	174.4	272.1	127.4	223.2	350.6	122.4	24.7
1921	746.9	304.3	93.5	180.0	273.5	132.3	217.9	350.2	123.2	23.9
1922	750.5	306.8	89.5	185.7	275.2	138.4	212.2	350.6	124.7	22.9
1923	759.2	314.5	85.5	196.4	281.9	143.9	207.0	350.9	126.4	22.0
1924	759.2	320.2	81.6	204.8	286.4	143.1	202.1	345.2	127.6	21.2
1925	746.0	310.1	78.1	197.5	275.6	141.7	198.6	340.3	130.1	20.8
1926	732.4	296.5	74.7	188.3	263.0	141.5	193.6	335.1	134.3	20.4
1927	725.3	285.9	71.2	180.2	251.4	141.4	190.6	332.0	141.9	20.2
1928	717.6	279.2	67.7	175.1	242.8	140.3	188.3	328.6	146.2	19.8
1929	702.2	272.2	64.6	169.9	234.5	139.0	186.0	325.0	142.7	19.5
1930	695.2	268.1	63.9	163.7	227.6	139.5	186.1	325.6	142.0	19.9
1931	687.4	264.5	64.2	157.9	222.1	138.7	186.1	324.8	140.5	20.3
1932	676.1	264.8	64.0	156.3	220.3	139.0	185.7	324.7	131.1	20.9
1933	663.5	262.6	64.4	151.7	216.1	138.9	185.9	324.8	122.6	21.5
1934	648.6	259.7	59.9	146.6	206.5	138.6	185.7	324.3	117.8	21.9
1935	633.5	261.7	57.0	148.6	205.6	132.7	184.2	316.9	111.0	22.3
1936	614.2	263.2	54.8	150.4	205.2	121.6	182.3	303.9	105.1	22.3
1937	598.4	265.3	51.9	152.6	204.5	109.3	180.6	289.9	104.0	23.2
1938	587.5	271.1	49.2	156.6	205.8	100.3	181.1	281.4	100.3	23.8
1939	582.6	276.8	46.6	161.1	207.7	92.4	181.5	273.9	101.0	24.4
1940	597.0	285.3	47.5	164.9	212.4	95.6	186.7	282.3	102.3	25.5
1941	617.0	298.4	48.9	169.9	218.8	97.5	196.0	293.5	104.7	26.8
1942	635.6	309.8	50.5	176.5	227.0	100.7	202.0	302.7	105.9	28.4
1943	651.7	312.7	52.0	182.6	234.6	107.2	199.8	307.0	110.1	30.1
1944	664.6	311.5	53.7	190.8	244.5	112.9	191.5	304.4	115.7	32.2
1945	675.6	315.1	53.3	194.8	248.1	116.4	191.0	307.4	120.1	33.7
1946	683.1	317.3	53.3	197.5	250.8	118.4	189.7	308.1	124.2	35.2

1/ N.C., S.C., Ga., Fla., Ala., Miss., Ark., La., Okla., and Texas. Acreages for these States included in South Atlantic and South Central groups. 2/ N.H., Mass., R.I., Conn., N.Y., N.J., and Pa. 3/ Del., Md., Va., W.Va., N.C., S.C., Ga., and Fla. 4/ Ohio, Ind., Ill., Mich., Iowa, Mo., Nebr., and Kans. 5/ Ky., Tenn., Ala., Miss., Ark., La., Okla., and Texas. 6/ Idaho, Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg., and Calif.

## PEACHES: BEARING ACREAGE, BY STATES, 1919-1946

Year	New Hampshire	Massa- chusetts	Rhode Island	Connect- icut	New York	New Jersey	Penn- sylvania	Delaware	Maryland	Virginia
Thousands										
1919	.9	4.0	.7	5.7	35.3	19.4	35.6	4.7	10.0	16.6
1920	.9	4.2	.7	5.3	33.9	19.2	33.5	4.6	9.7	16.5
1921	.8	4.3	.6	4.9	32.6	18.9	31.4	4.5	9.4	16.3
1922	.7	4.5	.6	4.5	31.3	18.6	29.3	4.3	9.1	16.1
1923	.7	4.7	.5	4.1	30.0	18.3	27.2	4.2	8.7	15.9
1924	.7	4.9	.4	3.7	28.7	18.2	25.0	4.1	8.4	15.7
1925	.7	4.3	.4	3.6	26.9	17.5	24.7	4.1	8.1	15.6
1926	.7	3.8	.4	3.5	25.1	16.8	24.4	4.1	7.9	15.5
1927	.6	3.3	.4	3.4	23.4	16.0	24.1	4.1	7.7	15.4
1928	.6	2.8	.4	3.3	21.7	15.0	23.9	4.1	7.5	15.3
1929	.6	2.2	.4	3.2	20.0	14.6	23.6	4.1	7.3	15.2
1930	.6	2.1	.4	3.2	20.0	14.2	23.4	4.1	7.1	14.7
1931	.6	2.1	.4	3.1	21.3	13.5	23.2	4.1	6.8	14.2
1932	.5	2.0	.4	3.0	22.6	12.5	23.0	4.1	6.4	13.9
1933	.5	1.9	.4	3.0	23.8	12.0	22.8	4.1	6.1	13.7
1934	.5	1.9	.4	2.9	20.0	11.6	22.6	4.1	5.7	13.5
1935	.5	1.7	.4	2.6	18.8	11.0	22.0	4.0	5.5	13.7
1936	.5	1.5	.4	2.3	18.2	10.4	21.5	3.9	5.3	13.9
1937	.4	1.3	.3	2.0	17.2	9.7	21.0	3.8	5.1	14.2
1938	.4	1.1	.3	1.7	16.2	9.0	20.5	3.7	5.0	14.7
1939	.4	.9	.2	1.4	15.6	8.1	20.0	3.6	4.9	15.5
1940	.4	.9	.2	1.4	15.5	8.6	20.5	3.6	5.1	16.0
1941	.4	.9	.2	1.5	15.7	9.2	21.0	3.6	5.3	16.9
1942	.4	1.0	.2	1.6	16.2	9.7	21.4	3.6	5.5	17.7
1943	.4	1.0	.2	1.6	16.4	10.5	21.9	3.6	5.7	18.3
1944	.4	1.0	.2	1.7	16.5	11.5	22.4	3.7	5.9	18.9
1945	.4	1.0	.2	1.6	16.1	11.7	22.3	3.7	5.8	19.5
1946	.4	1.0	.2	1.6	16.0	11.9	22.2	3.6	5.7	19.5

## PEACHES: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	West Virginia	North Carolina	South Carolina	Georgia	Florida	Ohio	Indiana	Illinois
<u>Thousands</u>								
1919	25.6	23.3	9.0	79.0	2.6	30.5	10.7	13.0
1920	24.0	24.7	9.4	83.0	2.5	29.5	11.6	20.0
1921	22.4	27.1	9.8	88.0	2.5	28.5	12.6	26.0
1922	20.8	30.6	10.3	92.0	2.5	27.5	14.4	32.0
1923	19.1	35.3	10.8	100.0	2.4	26.8	15.0	38.0
1924	17.4	36.7	11.3	109.0	2.2	26.0	16.1	38.0
1925	16.7	36.5	11.4	103.0	2.1	25.8	16.3	38.0
1926	16.0	35.3	11.5	96.0	2.0	25.6	16.5	39.0
1927	15.3	34.1	11.6	90.0	2.0	25.4	16.8	40.0
1928	14.6	32.9	11.8	87.0	1.9	25.2	16.9	40.5
1929	14.0	31.5	12.0	84.0	1.8	25.1	16.5	41.0
1930	13.6	30.6	12.0	80.0	1.6	25.5	16.1	40.8
1931	13.3	30.0	12.0	76.0	1.5	26.0	15.2	40.6
1932	13.0	29.4	12.1	76.0	1.4	26.5	14.7	40.4
1933	12.6	28.8	12.1	73.0	1.3	26.8	14.1	40.2
1934	12.3	28.6	12.1	69.0	1.3	27.0	13.7	40.0
1935	11.9	28.2	14.0	70.0	1.3	26.5	13.1	37.0
1936	11.5	28.2	16.1	70.0	1.5	20.0	12.6	34.0
1937	11.1	28.2	18.6	70.0	1.6	16.0	10.0	31.0
1938	10.7	28.7	21.1	71.0	1.7	14.5	8.6	26.0
1939	10.3	29.3	24.0	71.6	1.9	14.0	5.0	22.0
1940	10.6	29.6	27.6	70.5	1.9	14.3	5.7	22.3
1941	11.0	30.6	31.2	69.4	1.9	14.6	6.4	22.6
1942	11.3	32.4	35.8	68.4	1.8	14.9	7.4	22.8
1943	11.7	33.5	40.7	67.3	1.8	15.2	7.8	23.0
1944	12.1	35.8	46.3	66.3	1.8	15.6	7.9	23.2
1945	12.5	36.9	48.5	66.2	1.7	15.2	8.0	23.2
1946	12.9	37.5	50.5	66.1	1.7	15.0	8.0	23.2

Year	Michigan	Iowa	Missouri	Nebraska	Kansas	Kentucky	Tennessee	Alabama
<u>Thousands</u>								
1919	21.0	1.4	32.3	1.4	11.3	15.3	26.1	18.6
1920	20.9	1.7	31.5	1.4	10.8	14.7	26.4	18.0
1921	20.8	2.0	30.7	1.4	10.3	14.1	26.9	17.5
1922	20.8	2.5	29.9	1.4	9.9	13.5	27.3	17.0
1923	20.9	3.0	29.2	1.5	9.5	12.9	28.1	16.5
1924	21.0	3.0	28.4	1.6	9.0	12.2	28.9	16.0
1925	21.1	2.9	27.4	1.6	8.6	12.3	29.2	16.1
1926	21.3	2.8	26.4	1.7	8.2	12.4	29.5	16.2
1927	21.5	2.7	25.4	1.8	7.8	12.5	29.9	16.2
1928	21.6	2.6	24.4	1.7	7.4	12.5	30.2	16.3
1929	21.6	2.5	23.4	1.8	7.1	12.6	30.5	16.3
1930	21.5	2.6	23.8	1.7	7.5	12.5	29.7	16.8
1931	21.4	2.8	24.1	1.7	6.9	12.5	28.6	17.4
1932	21.4	3.0	24.4	1.7	6.9	12.4	27.4	17.8
1933	21.3	3.2	24.6	1.9	6.8	12.4	26.1	18.4
1934	21.3	3.3	24.8	1.9	6.6	12.3	24.7	18.9
1935	21.5	3.1	24.0	1.7	5.8	12.2	23.8	19.3
1936	22.0	3.0	23.0	1.5	5.5	12.1	22.8	19.7
1937	22.7	2.8	22.0	1.1	3.7	12.0	21.7	20.1
1938	23.5	2.7	21.0	.9	3.1	11.8	20.7	20.5
1939	24.4	2.5	20.3	.9	3.3	11.7	19.8	20.8
1940	26.0	2.7	20.5	1.0	3.1	11.9	19.1	21.2
1941	28.0	1.9	20.7	1.0	2.3	12.1	18.6	21.6
1942	31.2	1.4	21.0	.9	1.1	12.4	18.2	22.0
1943	36.2	1.4	21.2	.9	1.5	12.6	17.8	22.4
1944	40.3	1.5	21.4	.9	2.1	12.9	17.3	22.8
1945	42.8	1.5	21.7	.8	3.2	12.5	16.7	22.8
1946	43.6	1.6	22.0	.8	4.2	12.2	16.0	22.8




## PEACHES: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Mississippi	Arkansas	Louisiana	Oklahoma	Texas	Idaho	Colorado	New Mexico
Thousands								
1919	14.5	42.2	5.6	42.3	63.7	2.1	3.9	1.8
1920	14.4	42.2	5.5	40.0	62.0	2.0	3.9	1.8
1921	14.3	42.2	5.4	37.5	60.0	1.9	3.9	1.7
1922	14.2	42.2	5.0	35.0	58.0	1.8	3.9	1.6
1923	14.0	42.2	4.8	32.5	56.0	1.7	3.9	1.5
1924	14.0	42.2	4.8	30.0	54.0	1.6	3.9	1.4
1925	14.0	42.2	4.8	28.0	52.0	1.5	3.9	1.3
1926	14.0	42.2	4.8	24.5	50.0	1.4	3.9	1.3
1927	14.0	42.2	4.8	23.0	48.0	1.3	4.0	1.2
1928	14.0	42.2	4.8	22.3	46.0	1.2	4.0	1.2
1929	14.0	42.2	4.8	21.6	44.0	1.1	4.0	1.2
1930	14.3	42.8	5.0	20.0	45.0	1.1	4.3	1.2
1931	14.6	43.4	5.3	18.8	45.5	1.0	4.6	1.2
1932	14.9	44.0	5.6	17.6	46.0	1.0	4.9	1.2
1933	15.2	44.6	5.8	16.4	47.0	.9	5.3	1.2
1934	15.5	45.2	6.0	15.3	47.8	.9	5.5	1.2
1935	15.7	44.3	6.0	14.4	48.5	1.0	5.7	1.2
1936	15.8	43.3	6.0	13.6	49.0	1.1	5.9	1.2
1937	15.9	42.5	6.0	12.4	50.0	1.1	6.1	1.2
1938	16.0	41.5	6.0	12.6	52.0	1.3	6.3	1.2
1939	16.1	40.4	6.0	12.8	53.9	1.5	6.5	1.2
1940	16.2	40.5	6.0	13.8	58.0	1.6	7.0	1.2
1941	16.3	41.1	6.0	14.8	65.5	1.6	7.5	1.3
1942	16.4	41.3	6.1	16.0	69.6	1.6	8.0	1.4
1943	16.5	41.4	6.1	17.0	66.0	1.6	8.5	1.5
1944	16.7	39.9	6.1	18.3	57.5	1.6	9.0	1.7
1945	16.7	41.7	6.1	18.0	56.5	1.7	9.2	1.8
1946	16.7	41.7	6.2	17.6	56.5	1.8	9.4	1.8

Year	Arizona	Utah	Nevada	Washington	Oregon	California		
						All varieties	Clingstone varieties	Freestone varieties
Thousands								
1919	1.1	5.1	.1	6.6	5.0	96.5	39.8	56.7
1920	1.0	5.0	.1	6.3	4.6	97.7	40.1	57.6
1921	1.0	4.9	.1	6.0	4.4	99.3	41.4	57.9
1922	.9	4.9	.1	5.6	4.1	101.8	43.2	58.6
1923	.9	4.8	.1	5.2	3.9	104.4	45.4	59.0
1924	.8	4.8	.1	4.9	3.7	106.4	48.0	58.4
1925	.8	4.7	.1	5.0	3.5	109.3	52.0	57.3
1926	.7	4.6	.1	5.1	3.3	113.9	57.2	56.7
1927	.7	4.6	.1	5.2	3.1	121.7	65.6	56.1
1928	.6	4.5	.1	5.3	2.9	126.4	70.6	55.8
1929	.6	4.5	.1	5.4	2.6	123.2	69.2	54.0
1930	.6	4.4	.1	5.5	2.7	122.1	68.7	53.4
1931	.6	4.3	.1	5.6	2.9	120.2	67.7	52.5
1932	.6	4.2	.1	5.8	3.1	110.2	58.6	51.6
1933	.6	4.1	.1	6.0	3.3	101.1	51.7	49.4
1934	.6	4.0	.1	6.2	3.4	95.9	49.4	46.5
1935	.6	4.0	.1	6.2	3.5	88.7	46.2	42.5
1936	.6	4.0	.1	6.2	3.7	82.3	43.0	39.3
1937	.6	4.0	.1	6.2	3.9	80.8	41.9	38.9
1938	.6	4.0	.1	6.2	4.1	76.5	38.3	38.2
1939	.6	4.0	.1	6.3	4.2	76.6	38.6	38.0
1940	.6	4.2	.1	6.5	4.3	76.8	40.0	36.8
1941	.6	4.4	.1	6.7	4.6	77.9	40.6	37.3
1942	.6	4.7	.1	7.0	5.0	77.5	40.2	37.3
1943	.6	5.0	.1	7.6	5.2	80.0	41.9	38.1
1944	.6	5.2	.1	8.6	5.4	83.5	44.4	39.1
1945	.6	5.3	.1	9.4	5.6	86.4	46.0	40.4
1946	.6	5.5	.1	10.2	5.8	89.0	47.9	41.1

PEARS: TOTAL BEARING ACREAGE, UNITED STATES,  
BY AREA, 1919-46




U. S. DEPARTMENT OF AGRICULTURE

NEG. 46856 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 7

PEARS: BEARING ACREAGE, PACIFIC COAST STATES\*,  
1919-46; BY VARIETIES, 1939-46



U. S. DEPARTMENT OF AGRICULTURE

NEG. 46857 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 8

## PEARS: BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Total	Eastern States			Central States			Pacific Coast States <sup>5/</sup>			Total Western States <sup>6/</sup>
		North		Total	North		Total	Bartlett	Other	Total	
		Atlantic <sup>1/</sup>	South Atlantic <sup>2/</sup>		Central <sup>3/</sup>	South Central <sup>4/</sup>					
Thousands											
1919	217.1	59.2	29.4	88.6	47.9	30.0	77.9	---	---	46.8	50.6
1920	218.2	58.7	29.1	87.8	47.8	29.2	77.0	---	---	49.7	53.4
1921	220.7	58.5	28.6	87.1	48.0	28.7	76.7	---	---	53.2	56.9
1922	225.5	58.0	28.4	86.4	48.6	28.4	77.0	---	---	58.5	62.1
1923	228.4	56.7	28.1	84.3	48.9	27.8	76.7	---	---	63.3	66.9
1924	230.2	55.5	28.0	83.5	48.7	27.5	76.3	---	---	67.0	70.4
1925	230.7	54.2	26.6	80.8	47.3	27.3	74.6	---	---	71.9	75.3
1926	229.0	50.2	25.3	75.5	45.7	27.0	72.7	---	---	77.5	80.9
1927	227.9	46.5	23.7	70.2	44.3	26.9	71.2	---	---	83.1	86.5
1928	229.6	44.7	22.4	67.1	43.0	26.8	69.8	---	---	89.3	92.7
1929	233.9	43.3	21.3	64.6	42.4	26.8	69.2	---	---	96.7	100.1
1930	235.1	43.0	20.9	63.9	42.4	26.8	69.2	---	---	98.7	102.0
1931	236.5	42.7	20.6	63.3	43.3	27.0	70.3	---	---	99.7	102.9
1932	239.3	42.6	20.3	62.9	44.2	27.4	71.6	---	---	101.7	104.9
1933	239.2	42.4	20.0	62.4	45.0	27.7	72.7	---	---	101.3	104.1
1934	235.1	41.2	19.4	60.6	45.5	27.8	73.3	---	---	98.4	101.2
1935	220.5	33.3	19.1	52.4	43.5	28.0	71.5	---	---	94.0	96.6
1936	208.6	30.0	18.6	48.6	39.9	27.9	67.8	---	---	89.6	92.2
1937	201.5	27.4	18.3	45.7	36.7	28.0	64.7	---	---	88.5	91.1
1938	194.6	25.6	17.9	43.5	34.1	27.9	62.0	---	---	86.5	89.1
1939	188.1	23.3	17.6	41.4	32.2	28.0	60.2	62.0	21.9	83.9	86.5
1940	184.0	23.7	17.5	41.2	31.0	27.5	58.5	60.3	21.5	81.8	84.3
1941	180.6	23.2	17.1	40.3	30.3	26.8	57.1	59.9	20.7	80.6	83.2
1942	178.5	22.8	16.9	39.7	29.6	26.0	55.6	59.8	20.8	80.6	83.2
1943	176.6	22.4	16.6	39.0	29.1	24.7	53.8	60.1	21.1	81.2	83.8
1944	175.2	22.2	16.2	38.4	28.7	24.0	52.7	60.3	21.2	81.5	84.1
1945	174.4	22.0	16.0	38.0	28.5	23.3	51.8	60.6	21.4	82.0	84.6
1946	174.1	21.8	16.0	37.8	28.4	23.1	51.5	60.8	21.5	82.3	84.8

<sup>1/</sup> Maine, N.H., Vt., Mass., R.I., Conn., N.Y., N.J., and Pa. <sup>2/</sup> Del., Md., Va., W.Va., N.C., S.C., Ga. and Fla. <sup>3/</sup> Ohio, Ind., Ill., Mich., Iowa, Mo., Nebr. and Kans. <sup>4/</sup> Ky., Tenn., Ala., Miss., Ark., La., Okla. and Texas. <sup>5/</sup> Wash., Oreg. and Calif. Acreage for these States included in Total Western States. <sup>6/</sup> Idaho, Colo., N.Mex., Ariz., Utah, Nev., Wash., Oreg. and Calif.

## PEARS: BEARING ACREAGE, BY STATES, 1919-1946

Year	Maine	New Hampshire	Vermont	Massachusetts	Rhode Island	Connecticut	New York	New Jersey	Pennsylvania	Delaware
Thousands										
1919	.4	.3	.2	1.5	.2	1.0	38.5	6.9	10.2	3.3
1920	.4	.3	.2	1.5	.2	1.0	38.5	6.4	10.1	3.2
1921	.4	.3	.2	1.6	.2	1.0	39.0	5.9	9.9	3.0
1922	.4	.3	.2	1.6	.2	1.0	39.0	5.6	9.7	2.8
1923	.4	.3	.2	1.7	.2	1.0	38.0	5.4	9.5	2.6
1924	.4	.3	.2	1.7	.2	1.1	37.0	5.4	9.2	2.5
1925	.3	.2	.2	1.8	.2	1.1	37.0	4.5	8.9	2.2
1926	.3	.2	.2	1.9	.2	1.1	34.0	3.7	8.6	1.9
1927	.2	.2	.2	2.0	.2	1.1	31.5	2.8	8.3	1.5
1928	.2	.2	.2	2.1	.2	1.1	30.5	2.2	8.0	1.2
1929	.2	.2	.2	2.3	.2	1.1	29.6	1.7	7.8	.9
1930	.2	.2	.2	2.1	.2	1.2	29.6	1.6	7.7	.7
1931	.2	.2	.2	1.9	.2	1.2	29.7	1.5	7.6	.6
1932	.2	.2	.2	1.7	.2	1.2	29.3	1.4	7.6	.5
1933	.2	.2	.2	1.6	.2	1.2	29.9	1.3	7.6	.4
1934	.2	.3	.2	1.5	.2	1.2	28.7	1.3	7.6	.3
1935	.2	.2	.2	1.4	.2	1.1	21.8	1.2	7.0	.3
1936	.2	.2	.2	1.2	.2	1.1	19.7	1.0	6.2	.3
1937	.2	.2	.2	1.1	.1	1.0	18.3	.8	5.5	.3
1938	.2	.2	.1	1.0	.1	1.0	17.3	.7	5.0	.2
1939	.2	.1	.1	.8	.1	.9	16.2	.6	4.9	.2
1940	.2	.1	.1	.8	.1	.9	16.1	.6	4.9	.2
1941	.1	.1	.1	.8	.1	.9	15.9	.6	4.6	.1
1942	.1	.1	.1	.8	.1	.9	15.8	.5	4.4	.1
1943	.1	.1	.1	.8	.1	.9	15.6	.5	4.2	.1
1944	.1	.1	.1	.8	.1	.9	15.5	.4	4.2	.1
1945	.1	.1	.1	.8	.1	.9	15.4	.4	4.1	.1
1946	.1	.1	.1	.8	.1	.9	15.3	.4	4.0	.1



## PEARS: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Maryland	Virginia	West Virginia	North Carolina	South Carolina	Georgia	Florida	Ohio	Indiana	Illinois
Thousands										
1919	4.1	7.1	2.6	5.9	1.6	3.3	1.5	8.8	5.2	6.8
1920	3.9	7.1	2.6	5.9	1.6	3.3	1.5	8.6	5.2	7.0
1921	3.7	7.1	2.6	5.8	1.6	3.3	1.5	8.4	5.2	7.5
1922	3.6	7.2	2.5	5.8	1.7	3.3	1.5	8.2	5.3	8.0
1923	3.5	7.3	2.5	5.7	1.7	3.3	1.5	8.0	5.3	8.5
1924	3.4	7.4	2.5	5.7	1.8	3.2	1.5	7.9	5.3	8.5
1925	3.1	6.9	2.4	5.5	1.8	3.2	1.5	7.7	4.9	8.4
1926	2.9	6.4	2.3	5.3	1.8	3.2	1.5	7.5	4.5	8.2
1927	2.6	6.0	2.2	5.1	1.7	3.1	1.5	7.2	4.1	8.0
1928	2.3	5.6	2.1	4.9	1.7	3.1	1.5	6.9	3.7	7.9
1929	2.1	5.2	2.1	4.8	1.6	3.1	1.5	6.9	3.5	7.9
1930	1.9	5.2	2.1	4.7	1.6	3.1	1.6	6.9	3.5	8.0
1931	1.7	5.2	2.1	4.7	1.5	3.2	1.6	7.3	3.5	8.4
1932	1.4	5.2	2.1	4.6	1.5	3.3	1.7	7.7	3.6	8.8
1933	1.1	5.2	2.1	4.6	1.5	3.4	1.7	8.0	3.6	9.2
1934	.9	5.1	2.0	4.5	1.4	3.5	1.7	8.2	3.7	9.6
1935	.8	4.9	2.0	4.5	1.4	3.5	1.7	8.0	3.3	9.0
1936	.8	4.7	1.9	4.4	1.4	3.5	1.6	6.5	2.9	8.3
1937	.7	4.5	1.9	4.4	1.4	3.5	1.6	5.5	2.6	7.5
1938	.7	4.3	1.8	4.4	1.4	3.5	1.6	4.8	2.2	7.0
1939	.7	4.1	1.8	4.3	1.4	3.5	1.6	4.5	1.9	6.6
1940	.7	4.1	1.8	4.2	1.4	3.5	1.6	4.3	1.8	6.4
1941	.7	4.0	1.8	4.1	1.3	3.5	1.6	4.0	1.8	6.3
1942	.7	3.9	1.8	3.9	1.3	3.5	1.7	3.7	1.8	6.2
1943	.7	3.8	1.8	3.7	1.3	3.5	1.7	3.5	1.8	6.1
1944	.7	3.7	1.8	3.5	1.3	3.4	1.7	3.3	1.8	6.1
1945	.7	3.6	1.8	3.5	1.2	3.4	1.7	3.0	1.8	6.0
1946	.7	3.6	1.8	3.5	1.2	3.4	1.7	2.9	1.8	5.9


Year	Michigan	Iowa	Missouri	Nebraska	Kansas	Kentucky	Tennessee	Alabama	Mississippi	Arkansas
Thousands										
1919	12.4	2.0	7.8	.8	4.1	4.7	4.2	2.6	1.8	3.2
1920	12.2	2.0	7.8	.8	4.2	4.6	4.2	2.7	1.8	3.2
1921	12.0	2.0	7.9	.8	4.2	4.5	4.2	2.8	1.8	3.2
1922	11.9	2.1	8.0	.8	4.3	4.4	4.2	2.9	1.9	3.2
1923	11.8	2.2	8.0	.8	4.3	4.3	4.1	2.9	1.9	3.2
1924	11.7	2.1	8.1	.8	4.3	4.3	4.1	3.0	1.9	3.2
1925	11.5	2.0	7.8	.8	4.2	4.2	4.1	3.0	2.0	3.0
1926	11.3	1.9	7.5	.8	4.0	4.2	4.0	3.0	2.0	2.8
1927	11.2	1.9	7.3	.8	3.8	4.1	4.0	3.0	2.1	2.7
1928	11.1	1.9	7.1	.8	3.6	4.1	3.9	3.0	2.2	2.5
1929	11.0	1.9	6.9	.8	3.5	4.1	3.9	3.0	2.3	2.4
1930	11.1	1.9	6.7	.8	3.5	4.0	3.8	3.1	2.5	2.5
1931	11.2	1.9	6.5	.9	3.6	4.0	3.8	3.2	2.8	2.5
1932	11.3	2.0	6.3	.9	3.6	4.0	3.7	3.3	3.2	2.6
1933	11.4	2.0	6.2	1.0	3.6	4.0	3.6	3.4	3.5	2.7
1934	11.4	2.0	6.0	1.0	3.6	4.0	3.5	3.5	3.7	2.7
1935	11.2	1.9	5.8	.9	3.4	4.0	3.5	3.4	3.8	2.8
1936	11.0	1.8	5.5	.8	3.1	4.0	3.4	3.4	3.9	2.8
1937	10.8	1.6	5.2	.7	2.8	4.0	3.4	3.3	3.9	2.8
1938	10.5	1.4	4.9	.6	2.7	4.0	3.3	3.3	4.0	2.8
1939	10.3	1.3	4.7	.5	2.4	4.0	3.3	3.3	4.0	2.9
1940	10.3	1.2	4.5	.5	2.0	4.0	3.2	3.3	3.8	2.9
1941	10.3	1.2	4.3	.5	1.9	3.9	3.2	3.2	3.6	2.8
1942	10.4	1.2	4.1	.5	1.7	3.7	3.1	3.1	3.3	2.7
1943	10.5	1.2	3.9	.5	1.6	3.4	3.0	3.0	3.0	2.6
1944	10.6	1.2	3.7	.5	1.5	3.1	2.9	2.9	3.1	2.5
1945	10.8	1.2	3.6	.5	1.6	3.0	2.9	2.8	2.8	2.5
1946	10.9	1.2	3.5	.5	1.7	3.0	2.8	2.8	2.7	2.5

## PEARS: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	Louisiana	Oklahoma	Texas	Idaho	Colorado	New Mexico	Arizona	Utah	Nevada
Thousands									
1919	.9	3.9	8.7	.8	1.5	.7	.2	.5	.1
1920	.9	3.8	8.0	.8	1.5	.6	.2	.5	.1
1921	.9	3.7	7.6	.8	1.5	.6	.2	.5	.1
1922	.9	3.6	7.3	.7	1.5	.5	.2	.6	.1
1923	.9	3.5	7.0	.7	1.5	.5	.2	.6	.1
1924	.9	3.4	6.8	.6	1.5	.4	.2	.6	.1
1925	.9	3.3	6.8	.6	1.5	.4	.2	.6	.1
1926	.9	3.3	6.8	.5	1.5	.4	.2	.6	.1
1927	.9	3.3	6.8	.5	1.6	.4	.2	.6	.1
1928	1.0	3.3	6.8	.5	1.6	.4	.2	.6	.1
1929	1.0	3.3	6.8	.5	1.6	.4	.2	.6	.1
1930	1.1	3.1	6.7	.5	1.5	.4	.2	.6	.1
1931	1.2	2.9	6.6	.5	1.4	.4	.1	.7	.1
1932	1.4	2.7	6.5	.5	1.3	.4	.1	.7	.1
1933	1.6	2.5	6.4	.4	1.2	.3	.1	.7	.1
1934	1.8	2.3	6.3	.4	1.2	.3	.1	.7	.1
1935	1.8	2.4	6.3	.3	1.1	.3	.1	.7	.1
1936	1.8	2.4	6.2	.3	1.0	.3	.1	.8	.1
1937	1.9	2.5	6.2	.3	1.0	.3	.1	.8	.1
1938	1.9	2.5	6.1	.3	1.0	.3	.1	.8	.1
1939	1.9	2.6	6.0	.3	1.0	.3	.1	.8	.1
1940	1.9	2.6	5.8	.3	.9	.3	.1	.8	.1
1941	1.9	2.6	5.6	.3	.9	.3	.1	.9	.1
1942	2.0	2.7	5.4	.3	.9	.3	.1	.9	.1
1943	2.0	2.7	5.0	.3	.9	.3	.1	.9	.1
1944	2.0	2.7	4.8	.3	.9	.3	.1	.9	.1
1945	2.0	2.7	4.6	.3	.9	.3	.1	.9	.1
1946	2.0	2.7	4.6	.3	.8	.3	.1	.9	.1

Year	Washington			Oregon			California		
	Total	Bartlett	Other	Total	Bartlett	Other	Total	Bartlett	Other
Thousands									
1919	9.9	---	---	10.1	---	---	26.8	24.0	2.8
1920	10.0	---	---	10.2	---	---	29.5	26.5	3.0
1921	10.1	---	---	10.3	---	---	32.8	29.6	3.2
1922	10.3	---	---	10.5	---	---	37.7	34.1	3.6
1923	10.5	---	---	10.8	---	---	42.0	38.2	3.8
1924	10.7	---	---	11.1	---	---	45.2	41.1	4.1
1925	11.8	---	---	11.2	---	---	48.9	44.5	4.4
1926	12.9	---	---	11.3	---	---	53.3	48.5	4.8
1927	14.0	---	---	12.4	---	---	56.7	51.2	5.5
1928	15.0	---	---	14.6	---	---	59.7	53.4	6.3
1929	16.1	---	---	15.9	---	---	64.7	57.2	7.5
1930	16.8	---	---	16.1	---	---	65.8	57.9	7.9
1931	17.5	---	---	16.3	---	---	65.9	57.5	8.4
1932	18.2	---	---	16.5	---	---	67.0	58.5	8.5
1933	18.9	---	---	16.7	---	---	65.7	57.2	8.5
1934	19.5	---	---	16.8	---	---	62.1	53.7	8.4
1935	19.4	---	---	16.8	---	---	57.8	49.7	8.1
1936	19.3	---	---	16.7	---	---	53.6	45.8	7.8
1937	19.2	---	---	16.7	---	---	52.6	44.8	7.8
1938	19.1	---	---	16.6	---	---	50.8	43.1	7.7
1939	19.0	13.9	5.1	16.6	7.2	9.4	48.3	40.9	7.4
1940	19.1	14.1	5.0	16.9	7.3	9.6	45.8	38.9	6.9
1941	19.2	14.3	4.9	17.2	7.4	9.8	44.2	38.2	6.0
1942	19.3	14.4	4.9	17.5	7.5	10.0	43.8	37.9	5.9
1943	19.4	14.5	4.9	17.9	7.6	10.3	43.9	38.0	5.9
1944	19.4	14.5	4.9	18.2	7.7	10.5	43.9	38.1	5.8
1945	19.6	14.7	4.9	18.4	7.8	10.6	44.0	38.1	5.9
1946	19.7	14.8	4.9	18.4	7.8	10.6	44.2	38.2	6.0

GRAPES: TOTAL BEARING ACREAGE, UNITED STATES,  
BY AREAS, 1919-46




U.S. DEPARTMENT OF AGRICULTURE

NEG. 46856 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 9

GRAPES: BEARING ACREAGE, CALIFORNIA, BY VARIETIES, 1919-46



U.S. DEPARTMENT OF AGRICULTURE

NEG. 46859 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 10



GRAPES: BEARING ACREAGE, UNITED STATES, BY AREAS, 1919-1946

Year	Eastern States			Central States			California 2/			Total		
	Total	North	South	North	South	Wine	Table	Raisin	Total	Western States		
		Atlantic 1/	Atlantic 2/	Central 3/	Central 4/	various ties	various ties	various ties				
Thousands												
1919	430.4	66.5	9.1	75.6	51.5	8.4	59.9	95.5	53.5	142.6	291.6	294.9
1920	451.1	67.7	9.2	76.9	53.5	9.5	63.0	98.5	56.7	152.4	307.6	311.2
1921	481.2	68.9	9.2	78.1	56.0	11.4	67.4	102.4	61.0	168.5	331.9	335.7
1922	520.2	69.8	9.4	79.2	59.2	13.9	73.1	108.3	66.3	189.0	363.6	367.9
1923	574.8	71.5	9.6	81.1	63.6	15.9	79.5	117.1	74.8	217.6	409.5	414.2
1924	643.6	73.1	9.8	82.9	68.1	17.4	85.5	126.9	90.9	251.8	469.6	475.2
1925	708.8	75.3	10.3	85.6	71.4	18.7	90.1	139.7	108.2	279.4	527.3	533.1
1926	753.8	77.1	10.8	87.9	74.8	20.0	94.8	155.4	117.1	292.3	564.8	571.1
1927	774.4	78.8	11.1	89.9	77.8	21.4	99.2	170.0	119.8	289.2	579.0	585.3
1928	777.4	79.0	11.7	90.7	80.7	22.5	103.2	179.8	116.4	281.0	577.2	583.5
1929	768.9	79.3	12.1	91.4	82.1	23.4	105.5	187.6	111.3	266.8	565.7	572.0
1930	748.1	77.3	11.9	89.2	82.9	23.4	106.3	187.8	103.8	254.7	546.3	552.6
1931	727.8	75.5	11.7	87.2	83.6	23.5	107.1	183.8	96.6	246.8	527.2	533.5
1932	713.9	73.0	11.4	84.4	84.5	23.8	108.3	182.0	92.1	241.0	515.1	521.2
1933	695.8	70.9	11.5	82.4	85.7	23.9	109.6	176.0	86.8	235.0	497.8	503.8
1934	684.8	68.6	11.4	80.0	87.0	24.0	111.0	173.1	82.9	231.9	487.9	493.8
1935	668.8	65.8	11.1	76.9	83.6	23.3	106.9	168.7	80.0	230.5	479.2	485.0
1936	650.9	61.7	10.4	72.1	77.6	22.5	100.1	165.5	78.1	229.6	473.2	478.7
1937	645.4	58.3	9.7	68.0	69.5	21.4	90.9	167.0	78.6	235.6	481.2	486.5
1938	638.9	56.0	8.9	64.9	63.5	20.4	83.9	167.3	78.9	238.8	485.0	490.1
1939	628.8	53.7	8.1	61.8	58.7	19.8	78.5	166.1	78.3	239.2	483.6	488.5
1940	624.5	53.1	8.1	61.2	57.2	19.2	76.4	164.4	78.4	239.1	481.9	486.9
1941	627.6	52.8	7.9	60.7	55.9	18.5	74.4	164.9	79.6	242.8	487.3	492.5
1942	627.7	52.1	7.8	59.9	54.8	17.9	72.7	165.1	79.5	245.1	489.7	495.1
1943	626.7	51.8	7.9	59.7	53.5	17.3	70.8	165.2	79.4	245.8	490.4	496.2
1944	625.4	51.4	7.8	59.2	52.6	16.9	69.5	163.2	80.0	247.5	490.7	496.7
1945	627.2	50.8	8.0	58.8	52.3	16.4	68.7	165.1	79.8	248.1	493.0	499.7
1946	627.3	50.4	8.1	58.5	52.0	16.3	68.3	165.3	79.5	248.7	493.5	500.5

1/ Mass., R.I., Conn., N.Y., N.J., and Pa. 2/ Del., Md., Va., W.Va., N.C., S.C., Ga., and Fla. 3/ Ohio, Ind., Ill., Mich., Wis., Iowa, Mo., Nebr., and Kans. 4/ Ky., Tenn., Ala., Ark., Okla., and Texas. 5/ California acreage included in total Western States. 6/ Idaho, Colo., N.Mex., Ariz., Utah, Wash., Oreg., and Calif.

GRAPES: BEARING ACREAGE, BY STATES, 1919-1946

Year	Massachusetts	Rhode Island	Connecticut	New York	New Jersey	Pennsylvania	Delaware	Maryland	Virginia	West Virginia
Thousands										
1919	.2	.1	.5	49.0	3.1	13.6	1.0	.4	1.2	.7
1920	.2	.1	.6	50.0	3.2	13.6	1.1	.4	1.2	.7
1921	.2	.1	.7	51.0	3.3	13.6	1.1	.4	1.2	.7
1922	.2	.1	.7	52.0	3.4	13.4	1.1	.5	1.2	.6
1923	.2	.1	.8	53.5	3.5	13.4	1.1	.5	1.2	.6
1924	.2	.1	.8	55.0	3.6	13.4	1.2	.6	1.3	.6
1925	.2	.1	.8	57.0	3.4	13.8	1.3	.6	1.3	.6
1926	.2	.1	.9	58.5	3.2	14.2	1.5	.6	1.2	.6
1927	.2	.1	.9	60.0	3.0	14.6	1.6	.6	1.1	.6
1928	.2	.1	1.0	59.8	2.9	15.0	1.8	.6	1.1	.6
1929	.2	.2	1.1	59.6	2.8	15.4	1.9	.5	1.0	.6
1930	.2	.2	1.1	58.0	2.8	15.0	1.9	.5	1.0	.6
1931	.2	.2	1.2	56.4	2.9	14.6	1.8	.5	1.1	.6
1932	.2	.2	1.2	54.3	2.9	14.2	1.8	.5	1.1	.6
1933	.2	.2	1.3	52.4	3.0	13.8	1.7	.4	1.1	.6
1934	.2	.2	1.3	50.4	3.0	13.5	1.7	.4	1.2	.6
1935	.2	.2	1.2	48.6	2.8	12.8	1.6	.4	1.1	.6
1936	.1	.2	1.0	45.9	2.4	12.1	1.5	.3	1.0	.5
1937	.1	.2	.9	43.7	2.0	11.4	1.3	.3	.9	.5
1938	.1	.2	.7	42.5	1.8	10.7	1.1	.2	.8	.5
1939	.1	.2	.6	41.2	1.6	10.0	.9	.2	.7	.5
1940	.1	.2	.5	40.8	1.6	9.9	.8	.2	.7	.5
1941	.1	.2	.5	40.6	1.6	9.8	.7	.1	.7	.5
1942	.1	.1	.4	40.1	1.6	9.8	.6	.1	.7	.5
1943	.1	.1	.4	39.8	1.6	9.8	.5	.1	.7	.5
1944	.1	.1	.3	39.5	1.6	9.8	.4	.1	.7	.5
1945	.1	1/	.3	39.0	1.6	9.8	.4	.1	.7	.5
1946	.1	1/	.3	38.8	1.6	9.6	.4	.1	.7	.5

1/ Less than 50 acres.

GRAPES: BEARING ACREAGE, BY STATES, 1919-1946, Continued

Year	North Carolina	South Carolina	Georgia	Florida	Ohio	Indiana	Illinois	Michigan	Wisconsin	Iowa
Thousands										
1919	3.8	.6	1.1	.3	10.9	1.0	3.3	25.2	.3	2.8
1920	3.7	.6	1.0	.5	11.4	1.0	3.4	25.5	.3	3.0
1921	3.6	.7	1.0	.5	12.0	1.1	3.6	25.8	.3	3.2
1922	3.5	.7	1.0	.8	12.5	1.2	3.8	26.8	.3	3.4
1923	3.4	.8	1.0	1.0	13.0	1.3	4.0	29.0	.3	3.6
1924	3.3	.9	.9	1.0	13.3	1.4	4.0	32.0	.4	3.8
1925	3.2	.9	.9	1.5	13.6	1.4	3.9	35.0	.4	3.8
1926	3.1	.9	.9	2.0	13.9	1.4	3.8	38.0	.4	3.9
1927	2.9	.9	.9	2.5	14.2	1.3	3.7	40.8	.4	3.9
1928	2.8	.9	.9	3.0	14.4	1.3	3.6	43.3	.4	3.9
1929	2.8	.9	.9	3.5	14.8	1.3	3.5	44.0	.4	3.9
1930	2.8	.9	.9	3.3	15.6	1.3	3.6	43.8	.4	3.9
1931	2.9	.9	.9	3.0	16.4	1.4	3.7	43.6	.4	3.8
1932	3.0	1.0	.9	2.5	17.3	1.5	3.8	43.5	.4	3.8
1933	3.1	1.1	1.0	2.5	18.2	1.7	4.0	43.5	.4	3.8
1934	3.3	1.1	1.0	2.1	19.2	1.8	4.2	43.5	.4	3.7
1935	3.3	1.0	1.1	2.0	19.0	1.5	4.0	42.0	.4	3.3
1936	3.2	1.0	1.1	1.8	17.0	1.3	3.5	40.0	.4	2.9
1937	3.1	.9	1.1	1.6	16.0	1.2	3.0	36.0	.3	2.5
1938	2.9	.9	1.1	1.4	15.5	1.1	2.5	33.0	.3	2.0
1939	2.8	.9	1.1	1.0	15.1	1.0	2.2	30.7	.2	1.6
1940	2.9	.9	1.2	.9	14.7	1.0	2.0	30.2	.2	1.6
1941	3.0	.9	1.2	.8	14.3	1.0	1.9	29.8	.2	1.6
1942	3.0	.9	1.3	.7	13.9	1.1	1.8	29.4	.2	1.5
1943	3.1	.9	1.4	.7	13.5	1.1	1.7	29.0	.2	1.5
1944	3.2	.8	1.4	.7	13.2	1.2	1.6	28.7	.2	1.5
1945	3.2	.8	1.6	.7	13.1	1.2	1.6	28.7	.2	1.5
1946	3.2	.8	1.7	.7	13.0	1.2	1.6	28.7	.2	1.5

Year	Missouri	Nebraska	Kansas	Kentucky	Tennessee	Alabama	Arkansas	Oklahoma	Texas	Idaho
Thousands										
1919	4.9	.8	2.3	.7	.7	1.2	1.3	2.3	2.2	.2
1920	5.5	.8	2.6	.7	.7	1.2	2.0	2.4	2.5	.2
1921	6.5	.7	2.8	.7	.7	1.2	3.5	2.5	2.8	.2
1922	7.5	.7	3.0	.8	.7	1.2	5.5	2.6	3.1	.2
1923	8.5	.7	3.2	.8	.7	1.2	7.0	2.8	3.4	.2
1924	9.0	.8	3.4	.8	.7	1.2	8.0	3.0	3.7	.3
1925	8.9	.8	3.6	.8	.7	1.2	8.7	3.2	4.1	.3
1926	8.8	.9	3.7	.8	.7	1.2	9.4	3.4	4.5	.3
1927	8.6	1.1	3.8	.8	.7	1.3	10.0	3.7	4.9	.3
1928	8.5	1.4	3.9	.8	.7	1.3	10.5	4.0	5.2	.3
1929	8.5	1.7	4.0	.8	.7	1.3	10.9	4.3	5.4	.3
1930	8.5	1.8	4.0	.8	.7	1.4	10.8	4.3	5.4	.3
1931	8.6	1.8	3.9	.9	.7	1.5	10.7	4.3	5.4	.3
1932	8.6	1.8	3.8	.9	.8	1.6	10.7	4.4	5.4	.2
1933	8.7	1.8	3.6	1.0	.8	1.7	10.6	4.4	5.4	.2
1934	8.7	1.9	3.6	1.1	.8	1.8	10.5	4.4	5.4	.2
1935	8.4	1.6	3.4	1.1	.9	1.7	10.3	4.0	5.3	.2
1936	8.0	1.5	3.0	1.1	.9	1.7	10.2	3.5	5.1	.2
1937	7.0	1.3	2.2	1.0	.9	1.6	10.0	3.0	4.9	.2
1938	6.0	1.1	2.0	1.0	.9	1.5	9.8	2.5	4.7	.2
1939	5.1	1.0	1.8	.9	.9	1.5	9.7	2.3	4.5	.2
1940	4.8	1.0	1.7	.9	.8	1.5	9.5	2.3	4.2	.2
1941	4.6	.9	1.6	.8	.8	1.5	9.2	2.3	3.9	.2
1942	4.4	.9	1.6	.8	.8	1.5	9.0	2.2	3.6	.1
1943	4.0	.9	1.6	.7	.8	1.5	8.9	2.2	3.2	.1
1944	3.8	.8	1.6	.6	.8	1.5	8.9	2.2	2.9	.1
1945	3.6	.8	1.6	.5	.7	1.5	8.9	2.1	2.7	.1
1946	3.5	.7	1.6	.5	.7	1.5	8.9	2.1	2.6	.1

GRAPES: BEARING ACREAGE, BY STATES, 1919-1946, Continued


Year	Colorado	New Mexico	Arizona	Utah	Wash- ington	Oregon	California			
							Total	Raisin	Wine	Table
								varieties	varieties	varieties
Thousands										
1919	.3	.6	.2	.5	.8	.7	291.6	142.6	95.5	53.5
1920	.3	.6	.3	.6	.9	.7	307.6	152.4	98.5	56.7
1921	.3	.6	.3	.7	1.0	.7	331.9	168.5	102.4	61.0
1922	.3	.7	.3	.8	1.2	.8	363.6	189.0	108.3	66.3
1923	.3	.7	.4	.9	1.4	.8	409.5	217.6	117.1	74.8
1924	.4	.8	.8	.9	1.6	.8	469.6	251.8	126.9	90.9
1925	.4	.9	.9	.9	1.6	.8	527.3	279.4	139.7	108.2
1926	.4	.9	1.2	1.0	1.6	.9	564.8	292.3	155.4	117.1
1927	.4	1.0	1.1	1.0	1.6	.9	579.0	289.2	170.0	119.8
1928	.4	1.1	1.0	1.0	1.6	.9	577.2	281.0	179.8	116.4
1929	.4	1.2	.9	1.0	1.6	.9	565.7	266.8	187.6	111.3
1930	.4	1.3	.8	1.0	1.6	.9	546.3	254.7	187.8	103.8
1931	.4	1.3	.7	1.0	1.6	1.0	527.2	246.8	183.8	96.6
1932	.4	1.3	.6	1.0	1.6	1.0	515.1	241.0	182.0	92.1
1933	.4	1.3	.5	1.0	1.6	1.0	497.8	235.0	176.0	86.8
1934	.4	1.3	.4	1.0	1.6	1.0	487.9	231.9	173.1	82.9
1935	.4	1.2	.4	1.0	1.7	.9	479.2	230.5	168.7	80.0
1936	.4	1.0	.4	.9	1.7	.9	473.2	229.6	165.5	78.1
1937	.4	.9	.4	.9	1.7	.8	481.2	235.6	167.0	78.6
1938	.4	.8	.3	.8	1.8	.8	485.0	238.8	167.3	78.9
1939	.3	.7	.3	.7	1.9	.8	483.6	239.2	166.1	78.3
1940	.3	.7	.3	.6	2.2	.7	481.9	239.1	164.4	78.4
1941	.3	.7	.3	.6	2.4	.7	487.3	242.8	164.9	79.6
1942	.3	.7	.3	.5	2.8	.7	489.7	245.1	165.1	79.5
1943	.3	.7	.4	.5	3.1	.7	490.4	245.8	165.2	79.4
1944	.3	.7	.4	.5	3.4	.6	490.7	247.5	163.2	80.0
1945	.3	.7	.4	.5	4.1	.6	493.0	248.1	165.1	79.8
1946	.3	.7	.4	.5	4.4	.6	493.5	248.7	165.3	79.5

MISCELLANEOUS FRUITS: BEARING ACREAGE, BY STATES, 1919-1946

Year	Apricots				Figs	Olives	Avocados			Dates	Per- simmons	Pome- granates
	Calif- ornia	Wash- ington	Utah	Total	Calif- ornia	Calif- ornia	Calif- ornia	Florida	Total	Calif- ornia	Calif- ornia	Calif- ornia
	Thousands											
1919	49.2	---	---	---	9.7	20.9	.3	---	---	.16	.15	.08
1920	52.4	---	---	---	10.7	22.5	.3	---	---	.26	.17	.09
1921	56.0	---	---	---	11.6	23.6	.4	---	---	.40	.22	.16
1922	61.0	---	---	---	12.8	24.7	.4	---	---	.50	.28	.31
1923	63.1	---	---	---	17.0	25.6	.4	---	---	.55	.37	.52
1924	65.2	---	---	---	21.4	26.7	.5	---	---	.62	.47	.81
1925	68.3	---	---	---	24.2	27.3	.6	---	---	.67	.57	1.06
1926	74.0	---	---	---	31.4	28.1	.7	---	---	.72	.79	1.44
1927	80.1	---	---	---	39.9	28.7	.9	---	---	.74	.97	1.63
1928	83.0	---	---	---	43.9	28.6	1.2	---	---	.73	1.21	1.57
1929	82.8	2.4	.6	85.8	45.8	28.2	1.8	1.5	3.3	.85	1.46	1.57
1930	82.2	2.6	.6	85.4	46.8	27.3	2.3	1.5	3.8	.92	1.69	1.18
1931	81.4	2.7	.7	84.8	46.2	26.8	3.0	1.6	4.6	1.04	1.92	1.01
1932	81.2	2.8	.8	84.8	45.6	26.0	4.2	1.6	5.8	1.17	2.00	1.03
1933	78.8	2.9	.9	82.6	43.5	25.6	5.6	1.6	7.2	1.28	1.82	.90
1934	77.8	3.1	1.0	81.9	41.7	25.0	7.3	1.6	8.9	1.37	1.73	.84
1935	76.5	3.2	1.2	80.9	40.3	24.9	8.6	1.6	10.2	1.44	1.60	.77
1936	75.1	3.4	1.3	79.8	39.2	24.7	10.2	1.7	11.9	1.81	1.48	.73
1937	75.1	3.4	1.4	79.9	39.0	24.8	11.6	1.7	13.3	2.14	1.52	.74
1938	73.8	3.4	1.4	78.6	38.5	24.4	12.5	1.7	14.2	2.38	1.53	.66
1939	72.7	3.5	1.5	77.7	37.6	24.1	13.1	1.7	14.8	2.63	1.39	.72
1940	70.5	3.5	1.5	75.5	36.5	24.0	13.4	1.9	15.3	2.70	1.31	.67
1941	68.7	3.6	1.5	73.8	36.0	24.9	13.5	2.0	15.5	2.72	1.25	.65
1942	67.3	3.8	1.6	72.7	35.3	25.1	13.0	2.1	15.1	2.84	1.28	.64
1943	67.3	4.0	1.6	72.9	34.7	25.1	13.3	2.2	15.5	3.02	1.25	.65
1944	66.9	4.2	1.6	72.7	34.6	25.1	13.5	2.3	15.8	3.16	1.18	.65
1945	67.0	4.3	1.6	72.9	34.5	25.2	13.8	2.3	16.1	3.27	1.17	.64
1946	67.3	4.5	1.6	73.4	34.4	25.1	14.2	1.2	15.4	3.44	1.20	.64



CHERRIES: BEARING ACREAGE,  
BY AREA, 1919-46



U. S. DEPARTMENT OF AGRICULTURE

FIGURE 11


NEG. 46860 BUREAU OF AGRICULTURAL ECONOMICS

U. S. DEPARTMENT OF AGRICULTURE

FIGURE 12

NEG. 46861 BUREAU OF AGRICULTURAL ECONOMICS

CHERRIES: BEARING ACREAGE, 1919-46;  
BY VARIETIES, 1938-46



CHERRIES: BEARING ACREAGE, BY STATES, 1919-1946

Year	12 States			5 Eastern States <sup>1/</sup>			7 Western States <sup>2/</sup>			New York		
	All	Sweet	Sour	All	Sweet	Sour	All	Sweet	Sour	All	Sweet	Sour
	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-
	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties
Thousands												
1919	75.1	---	---	51.1	---	---	24.0	---	---	12.1	---	---
1920	74.9	---	---	50.3	---	---	24.6	---	---	12.0	---	---
1921	74.3	---	---	49.1	---	---	25.2	---	---	11.8	---	---
1922	73.3	---	---	47.8	---	---	25.5	---	---	11.5	---	---
1923	72.6	---	---	46.6	---	---	26.0	---	---	11.3	---	---
1924	71.9	---	---	45.3	---	---	26.6	---	---	11.0	---	---
1925	71.9	---	---	44.9	---	---	27.0	---	---	10.8	---	---
1926	72.4	---	---	44.7	---	---	27.7	---	---	10.7	---	---
1927	73.6	---	---	45.0	---	---	28.6	---	---	10.6	---	---
1928	75.0	---	---	45.4	---	---	29.6	---	---	10.5	---	---
1929	76.8	---	---	46.1	---	---	30.7	---	---	10.4	---	---
1930	82.8	---	---	49.7	---	---	33.1	---	---	11.6	---	---
1931	89.7	---	---	54.3	---	---	35.4	---	---	12.7	---	---
1932	95.8	---	---	58.5	---	---	37.3	---	---	13.6	---	---
1933	101.4	---	---	62.7	---	---	38.7	---	---	14.3	---	---
1934	105.5	---	---	65.3	---	---	40.2	---	---	13.7	---	---
1935	106.4	---	---	65.1	---	---	41.3	---	---	13.7	---	---
1936	106.7	---	---	64.6	---	---	42.1	---	---	13.6	---	---
1937	106.1	---	---	62.7	---	---	43.4	---	---	12.3	---	---
1938	105.8	45.5	60.3	61.4	9.1	52.3	44.4	36.4	8.0	12.0	1.9	10.1
1939	105.7	45.4	60.3	60.8	8.7	52.1	44.9	36.7	8.2	12.0	1.9	10.1
1940	105.5	44.9	60.6	61.2	8.7	52.5	44.3	36.2	8.1	12.0	1.9	10.1
1941	105.8	44.9	60.9	61.8	8.7	53.1	44.0	36.2	7.8	12.1	1.9	10.2
1942	105.6	45.0	60.6	62.1	8.7	53.4	43.5	36.3	7.2	12.2	1.9	10.3
1943	106.6	45.7	60.9	62.7	8.8	53.9	43.9	36.9	7.0	12.4	2.0	10.4
1944	106.9	46.2	60.7	63.0	9.0	54.0	43.9	37.2	6.7	12.4	2.0	10.4
1945	108.0	46.4	61.6	64.0	9.1	54.9	44.0	37.3	6.7	12.6	2.0	10.6
1946	108.8	46.7	62.1	64.9	9.3	55.6	43.9	37.4	6.5	12.7	2.0	10.7

	Pennsylvania			Ohio			Michigan			Montana		
	All	Sweet	Sour	All	Sweet	Sour	All	Sweet	Sour	All	Sweet	Sour
	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-	vari-
	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties	eties
Thousands												
1919	11.9	---	---	10.3	---	---	12.2	---	---	---	---	---
1920	11.5	---	---	10.0	---	---	12.1	---	---	---	---	---
1921	11.0	---	---	9.5	---	---	12.0	---	---	---	---	---
1922	10.5	---	---	9.0	---	---	12.0	---	---	---	---	---
1923	10.0	---	---	8.5	---	---	11.9	---	---	---	---	---
1924	9.5	---	---	8.0	---	---	11.9	---	---	---	---	---
1925	9.4	---	---	7.5	---	---	12.2	---	---	---	---	---
1926	9.3	---	---	7.0	---	---	12.6	---	---	---	---	---
1927	9.2	---	---	6.5	---	---	13.4	---	---	---	---	---
1928	9.1	---	---	6.0	---	---	14.3	---	---	---	---	---
1929	9.0	---	---	5.5	---	---	15.5	---	---	.5	---	---
1930	8.9	---	---	5.4	---	---	17.6	---	---	.6	---	---
1931	8.8	---	---	5.8	---	---	20.2	---	---	.7	---	---
1932	8.7	---	---	6.2	---	---	22.6	---	---	.7	---	---
1933	8.6	---	---	6.6	---	---	25.2	---	---	.7	---	---
1934	8.4	---	---	7.0	---	---	27.6	---	---	.7	---	---
1935	8.2	---	---	6.5	---	---	28.0	---	---	.7	---	---
1936	8.0	---	---	6.0	---	---	28.2	---	---	.4	---	---
1937	7.9	---	---	5.5	---	---	28.0	---	---	.4	---	---
1938	7.7	3.1	4.6	4.9	1.5	3.4	27.6	2.6	25.0	.4	3/	.4
1939	7.6	3.0	4.6	4.4	1.2	3.2	27.4	2.6	24.8	.4	3/	.4
1940	7.5	2.9	4.6	4.3	1.1	3.2	27.9	2.8	25.1	.5	3/	.5
1941	7.5	2.8	4.7	4.3	1.0	3.3	28.4	3.0	25.4	.6	.1	.5
1942	7.4	2.7	4.7	4.2	.9	3.3	28.9	3.2	25.7	.7	.3	.4
1943	7.3	2.6	4.7	4.2	.8	3.4	29.3	3.4	25.9	.8	.4	.4
1944	7.3	2.6	4.7	4.2	.8	3.4	29.7	3.6	26.1	.8	.5	.3
1945	7.5	2.6	4.9	4.1	.8	3.3	30.3	3.7	26.6	.8	.5	.3
1946	7.9	2.7	5.2	4.0	.8	3.2	30.7	3.8	26.9	.8	.5	.3

1/ New York, Pennsylvania, Ohio, Michigan and Wisconsin.

2/ Montana, Idaho, Colorado, Utah, Washington, Oregon, and California.

3/ Less than 50 acres.

CHERRIES: BEARING ACREAGE, BY STATES, 1919-1946, Continued


Year	Idaho			Colorado			Utah		
	All	Sweet	Sour	All	Sweet	Sour	All	Sweet	Sour
	varieties	varieties	varieties	varieties	varieties	varieties	varieties	varieties	varieties
Thousands									
1919	1.5	---	---	3.1	---	---	1.2	---	---
1920	1.5	---	---	3.2	---	---	1.3	---	---
1921	1.5	---	---	3.2	---	---	1.3	---	---
1922	1.4	---	---	3.1	---	---	1.3	---	---
1923	1.4	---	---	3.0	---	---	1.4	---	---
1924	1.4	---	---	2.9	---	---	1.5	---	---
1925	1.4	---	---	2.8	---	---	1.6	---	---
1926	1.3	---	---	2.7	---	---	1.6	---	---
1927	1.3	---	---	2.6	---	---	1.4	---	---
1928	1.3	---	---	2.6	---	---	1.3	---	---
1929	1.3	---	---	2.5	---	---	1.2	---	---
1930	1.4	---	---	2.7	---	---	1.3	---	---
1931	1.4	---	---	2.9	---	---	1.4	---	---
1932	1.4	---	---	3.1	---	---	1.5	---	---
1933	1.4	---	---	3.1	---	---	1.6	---	---
1934	1.5	---	---	3.2	---	---	1.6	---	---
1935	1.6	---	---	3.3	---	---	1.7	---	---
1936	1.6	---	---	3.4	---	---	1.8	---	---
1937	1.5	---	---	3.5	---	---	1.9	---	---
1938	1.5	1.2	.3	3.6	.3	3.3	2.0	1.5	.5
1939	1.4	1.1	.3	3.7	.3	3.4	2.1	1.6	.5
1940	1.5	1.2	.3	3.5	.3	3.2	2.1	1.6	.5
1941	1.6	1.3	.3	3.3	.3	3.0	2.1	1.6	.5
1942	1.6	1.3	.3	3.1	.3	2.8	2.0	1.6	.4
1943	1.6	1.3	.3	3.1	.3	2.8	2.0	1.6	.4
1944	1.6	1.3	.3	2.9	.3	2.6	2.0	1.6	.4
1945	1.6	1.3	.3	2.9	.3	2.6	2.0	1.6	.4
1946	1.6	1.3	.3	2.8	.3	2.5	2.1	1.7	.4

Year	Washington			Oregon			California	Wisconsin
	All	Sweet	Sour	All	Sweet	Sour	All	All
	varieties	varieties	varieties	varieties	varieties	varieties	varieties <sup>1/</sup>	varieties <sup>1/</sup>
Thousands								
1919	4.4	---	---	6.4	---	---	7.4	4.6
1920	4.4	---	---	6.5	---	---	7.7	4.7
1921	4.5	---	---	6.6	---	---	8.1	4.8
1922	4.5	---	---	6.7	---	---	8.5	4.8
1923	4.6	---	---	6.8	---	---	8.8	4.9
1924	4.7	---	---	6.9	---	---	9.2	4.9
1925	4.9	---	---	6.9	---	---	9.4	5.0
1926	5.2	---	---	7.0	---	---	9.9	5.1
1927	5.5	---	---	7.0	---	---	10.8	5.3
1928	5.8	---	---	7.1	---	---	11.5	5.5
1929	6.1	---	---	7.1	---	---	12.0	5.7
1930	6.8	---	---	7.6	---	---	12.7	6.2
1931	7.6	---	---	8.2	---	---	13.2	6.8
1932	8.3	---	---	8.7	---	---	13.6	7.4
1933	8.8	---	---	9.2	---	---	13.9	8.0
1934	9.2	---	---	9.7	---	---	14.3	8.6
1935	9.4	---	---	10.3	---	---	14.3	8.7
1936	9.6	---	---	10.9	---	---	14.4	8.8
1937	9.8	---	---	11.5	---	---	14.8	9.0
1938	10.0	7.7	2.3	12.0	10.8	1.2	14.9	9.2
1939	10.3	8.0	2.3	12.4	11.1	1.3	14.6	9.4
1940	10.5	8.2	2.3	12.5	11.2	1.3	13.7	9.5
1941	10.6	8.4	2.2	12.6	11.3	1.3	13.2	9.5
1942	10.8	8.8	2.0	12.8	11.5	1.3	12.5	9.4
1943	11.0	9.2	1.8	12.9	11.6	1.3	12.5	9.5
1944	11.1	9.3	1.8	13.1	11.8	1.3	12.4	9.4
1945	11.2	9.4	1.8	13.1	11.8	1.3	12.4	9.5
1946	11.2	9.5	1.7	13.1	11.8	1.3	12.3	9.6

<sup>1/</sup> California cherries are practically all sweet varieties; Wisconsin nearly all sour varieties.



PLUMS AND PRUNES: BEARING ACREAGE.  
1919-46




U. S. DEPARTMENT OF AGRICULTURE

NEG. 48862 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 13

NUTS: BEARING ACREAGE, CALIFORNIA, OREGON  
AND WASHINGTON, BY KINDS, 1919-46



U. S. DEPARTMENT OF AGRICULTURE

NEG. 48863 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 14

PLUMS AND PRUNES: BEARING ACREAGE, BY STATES, 1919-1946

Year	Plums					Prunes							
	Total	Cali- fornia	Mich- igan 1/	New York 1/	Total	Idaho 1/	Washington 1/		Oregon 1/		Total	Cali- fornia	
							Eastern	Western	Eastern	Western			
Thousands													
1919	30.8	17.1	4.5	9.2	151.6	6.0	2.3	6.2	8.5	2.2	28.0	30.2	106.9
1920	32.1	18.4	4.6	9.1	158.5	6.2	2.5	6.4	8.9	2.4	29.7	32.1	111.3
1921	33.9	20.2	4.6	9.1	165.7	6.4	2.7	6.6	9.3	2.6	31.4	34.0	116.0
1922	35.4	21.7	4.7	9.0	174.8	6.6	2.9	6.8	9.7	2.8	33.1	35.9	122.6
1923	36.8	23.0	4.8	9.0	185.0	6.8	3.1	7.0	10.1	3.0	34.8	37.8	130.3
1924	38.3	24.6	4.8	8.9	195.6	7.0	3.3	7.3	10.6	3.1	36.5	39.6	138.4
1925	40.6	27.3	4.9	8.4	206.7	7.0	3.4	7.4	10.8	3.2	39.2	42.4	146.5
1926	41.7	29.0	5.0	7.7	213.0	6.5	3.5	8.1	11.6	3.3	41.9	45.2	154.7
1927	41.5	29.9	4.7	6.9	228.2	6.0	3.6	8.5	12.1	3.4	44.6	48.0	162.1
1928	41.4	30.9	4.3	6.2	235.3	5.0	3.7	8.9	12.6	3.5	47.3	50.8	166.9
1929	41.1	31.6	3.9	5.6	244.5	5.6	3.8	9.3	13.1	3.5	50.0	53.5	172.3
1930	39.8	30.6	3.7	5.5	244.4	5.3	3.6	9.1	12.7	3.3	49.1	52.4	174.0
1931	39.2	30.0	3.8	5.4	242.7	5.0	3.4	8.9	12.3	3.2	48.3	51.5	173.9
1932	39.4	30.1	3.9	5.4	239.2	4.7	3.2	8.7	11.9	3.1	47.4	50.5	172.1
1933	38.3	28.9	4.0	5.4	233.8	4.5	3.1	8.5	11.6	3.0	46.5	49.5	168.2
1934	37.1	27.6	4.1	5.4	227.3	4.3	3.0	8.3	11.3	2.9	44.6	47.5	164.2
1935	35.0	26.3	3.9	4.8	220.5	4.2	2.9	8.1	11.0	2.9	43.1	46.0	159.3
1936	33.4	25.1	3.8	4.5	214.8	4.1	2.7	7.9	10.6	2.8	41.6	44.4	155.7
1937	32.7	25.0	3.5	4.2	212.5	4.0	2.5	7.7	10.2	2.8	40.1	42.9	155.4
1938	31.8	24.6	3.2	4.0	207.1	4.0	2.4	7.5	9.9	2.7	37.0	39.7	153.5
1939	30.6	23.8	3.0	3.8	201.4	4.0	2.3	7.3	9.6	2.6	35.0	37.6	150.2
1940	28.7	22.0	2.8	3.9	194.9	4.1	2.4	7.0	9.4	2.6	33.6	36.2	145.2
1941	28.3	21.5	2.8	4.0	187.8	4.2	2.5	6.6	9.1	2.6	32.2	34.8	139.7
1942	28.1	21.2	2.8	4.1	183.6	4.3	2.6	6.2	8.8	2.7	30.8	33.5	137.0
1943	28.7	21.5	3.0	4.2	180.9	4.5	2.7	5.8	8.5	2.7	29.4	32.1	135.8
1944	29.4	21.8	3.3	4.3	178.2	4.7	2.8	5.5	8.3	2.8	28.7	31.5	133.7
1945	30.6	22.8	3.5	4.3	177.4	4.7	2.9	5.2	8.1	2.9	28.3	31.2	133.4
1946	31.1	23.3	3.6	4.2	176.8	4.7	2.9	5.0	7.9	3.0	28.0	31.0	133.2

1/ Separate data for plums and prunes not available for States other than California. Michigan and New York acreages include some plantings of prunes; Idaho, Washington and Oregon acreages include some plantings of plums.

WALNUTS, ALMONDS AND FILBERTS: BEARING ACREAGE IN CALIFORNIA, OREGON AND WASHINGTON, 1919-1946

Year	Walnuts			Almonds		Filberts			Total
	California	Oregon	Total	California	Oregon	Washington	Total	acreage 3 States	
Thousands									
1919	61.0	3.8	64.8	32.0	---	---	---	---	
1920	63.3	4.0	67.3	35.8	---	---	---	---	
1921	65.7	4.2	69.9	39.5	---	---	---	---	
1922	68.8	4.4	73.2	46.7	---	---	---	---	
1923	71.1	4.6	75.7	51.6	---	---	---	---	
1924	73.2	4.8	78.0	55.4	---	---	---	---	
1925	75.6	5.8	81.4	60.1	---	---	---	---	
1926	79.3	6.8	86.1	63.6	---	---	---	---	
1927	82.3	7.8	90.1	67.0	---	---	---	---	
1928	85.9	8.8	94.7	70.9	---	---	---	---	
1929	88.6	9.8	98.4	72.2	2.0	.29	2.29	172.89	
1930	94.0	10.4	104.4	72.1	2.5	.38	2.88	179.38	
1931	99.5	11.0	110.5	71.7	3.1	.46	3.56	185.76	
1932	103.0	11.7	114.7	71.2	3.7	.56	4.26	190.16	
1933	106.9	12.4	119.3	71.0	4.3	.65	4.95	195.25	
1934	109.0	13.0	122.0	71.0	4.8	.74	5.54	198.54	
1935	110.9	14.7	125.6	71.0	5.6	.76	6.36	202.96	
1936	112.7	16.4	129.1	70.6	6.3	.79	7.09	206.79	
1937	114.5	18.1	132.6	72.1	7.0	1.00	8.00	212.70	
1938	115.4	19.8	135.2	72.9	7.7	1.25	8.95	217.05	
1939	115.0	21.5	136.5	73.8	8.5	1.50	10.00	220.30	
1940	115.2	22.0	137.2	75.1	9.3	1.65	10.95	223.25	
1941	114.9	22.5	137.4	77.0	10.0	1.80	11.80	226.20	
1942	114.6	22.9	137.5	79.5	10.9	1.95	12.85	229.85	
1943	114.1	23.3	137.4	82.2	11.7	2.10	13.80	233.40	
1944	114.1	23.7	137.8	84.8	12.6	2.25	14.85	237.45	
1945	114.2	24.0	138.2	88.7	14.4	2.31	16.71	243.51	
1946	114.4	24.2	138.6	92.0	16.2	2.37	18.57	249.17	

ORANGES AND TANGERINES: BEARING ACREAGE, BY STATES, 1919-20 to 1946-47

Crop Season	Florida				California			
	Oranges		Tangerines	and tangerines	Oranges	Navels	Valencias	All
	Early and midseason	Valencias			and	and	1/	
			All					
Thousands								
1919-20	---	---	52.8	3.9	56.7	92.0	63.8	155.8
1920-21	---	---	57.7	4.2	61.9	91.4	66.4	157.8
1921-22	---	---	65.1	4.5	69.6	94.3	68.9	163.2
1922-23	---	---	74.0	4.8	78.8	94.8	71.7	166.5
1923-24	---	---	87.7	5.0	92.7	95.3	74.4	169.7
1924-25	---	---	106.2	6.2	112.4	95.6	77.4	173.0
1925-26	---	---	109.2	7.7	116.9	94.4	80.4	174.8
1926-27	---	---	123.5	10.0	133.5	95.3	85.5	180.8
1927-28	---	---	126.2	12.3	138.5	94.9	88.0	182.9
1928-29	---	---	129.3	14.7	144.0	94.5	91.4	185.9
1929-30	---	---	133.0	15.4	148.4	94.2	95.9	190.1
1930-31	---	---	140.0	18.4	158.4	93.7	98.8	192.5
1931-32	---	---	155.0	22.0	177.0	93.4	103.9	197.3
1932-33	---	---	169.0	22.5	191.5	92.5	107.9	200.4
1933-34	99.1	79.5	178.6	23.2	201.8	89.2	108.7	197.9
1934-35	103.0	84.3	187.3	24.1	211.4	88.8	117.9	206.7
1935-36	106.9	88.8	195.7	25.1	220.8	88.8	122.3	211.1
1936-37	110.9	91.5	202.4	25.2	227.6	88.4	127.3	215.7
1937-38	114.5	94.0	208.5	25.3	233.8	88.8	132.8	221.6
1938-39	117.6	95.9	213.5	25.2	238.7	89.8	136.5	226.3
1939-40	120.0	96.2	216.2	25.1	241.3	90.5	138.7	229.2
1940-41	127.7	98.3	226.0	24.5	250.5	90.5	140.6	231.1
1941-42	133.6	102.4	236.0	24.5	260.5	90.3	141.8	232.1
1942-43	140.6	105.7	246.3	23.4	269.7	90.3	143.4	233.7
1943-44	144.7	106.6	251.3	23.4	274.7	90.5	145.5	236.0
1944-45	147.9	108.4	256.3	23.4	279.7	90.9	146.9	237.8
1945-46	153.6	111.3	264.9	23.5	288.4	91.0	148.5	239.5
1946-47	156.1	113.9	270.0	23.7	293.7	91.0	149.2	240.2

Crop Season	Oranges 1/				Total		
	Arizona	Texas	Louisiana	Alabama	Oranges	Oranges	
	1/	1/	1/	and Mississippi 1/	(excl. Florida tangerines)	and tangerines	
Thousands							
1919-20	.5	.2	1.1	1.9	212.3		216.2
1920-21	.6	.3	1.1	4.7	222.2		226.4
1921-22	.6	.5	1.2	5.1	235.7		240.2
1922-23	.7	.6	1.2	11.7	254.7		259.5
1923-24	.8	.8	1.3	13.3	273.6		278.6
1924-25	.9	1.0	1.4	2.1	284.6		290.8
1925-26	.9	1.2	1.7	2.1	289.9		297.6
1926-27	1.0	1.4	2.1	2.2	311.0		321.0
1927-28	1.0	1.8	2.6	2.4	316.9		329.2
1928-29	1.1	3.0	3.0	2.2	324.5		339.2
1929-30	1.1	5.1	3.4	1.7	334.4		349.8
1930-31	1.3	7.4	3.6	1.3	346.1		364.5
1931-32	1.6	9.9	3.8	1.4	369.0		391.0
1932-33	2.0	13.7	4.0	1.5	390.6		413.1
1933-34	2.7	18.4	4.2	1.9	403.7		426.9
1934-35	4.1	20.9	4.3	2.3	425.6		449.7
1935-36	5.5	21.4	4.5	2.6	440.8		465.9
1936-37	6.3	22.0	4.6	2.7	453.7		478.9
1937-38	6.8	23.1	4.8	2.7	467.5		492.8
1938-39	7.0	24.0	4.9	3.0	478.7		503.9
1939-40	7.3	24.2	5.1	3.2	485.2		510.3
1940-41	7.3	24.7	5.0	3.0	497.1		521.6
1941-42	7.3	25.4	4.8	2/	505.6		530.1
1942-43	7.3	26.3	4.6	---	518.2		541.6
1943-44	7.2	27.2	4.5	---	526.2		549.6
1944-45	7.1	28.4	4.5	---	534.1		557.5
1945-46	7.1	30.3	4.5	---	546.3		569.8
1946-47	7.1	32.9	4.5	---	554.7		578.4

1/ Includes tangerines.

2/ Acreage nearly eliminated by low temperatures during the winter of 1939-40.



## GRAPEFRUIT, LEMONS AND LIMES: BEARING ACREAGE, BY STATES, 1919-20 TO 1946-47


Crop Season	Grapefruit					Lemons	Limes
	Florida	Texas	Arizona	California	Total	California	Florida
Thousands							
1919-20	25.9	.1	.2	2.6	28.8	35.6	1.5
1920-21	31.4	.3	.3	2.9	34.9	38.3	1.5
1921-22	36.1	.8	.3	3.2	40.4	40.5	1.5
1922-23	39.1	1.2	.3	3.4	44.0	41.0	1.6
1923-24	40.7	1.8	.4	3.6	46.5	41.2	2.5
1924-25	45.7	2.4	.5	3.8	52.4	41.3	2.5
1925-26	43.7	3.0	.6	4.5	51.8	41.6	2.5
1926-27	48.2	3.9	.7	5.5	58.3	41.5	2.5
1927-28	53.0	5.1	.9	6.7	65.7	41.0	1.8
1928-29	55.0	7.4	1.3	8.6	72.3	40.8	1.8
1929-30	58.0	11.1	2.1	10.1	81.3	40.5	1.8
1930-31	60.0	15.3	2.5	10.8	88.6	40.7	1.8
1931-32	67.8	21.9	3.0	11.3	104.0	41.0	1.7
1932-33	72.0	34.0	3.8	12.1	121.9	40.7	1.9
1933-34	75.9	47.4	4.9	13.1	141.3	40.2	2.0
1934-35	78.3	57.9	7.2	13.7	157.1	40.4	2.1
1935-36	82.4	64.4	10.8	14.6	172.2	40.6	2.2
1936-37	84.1	70.0	13.0	15.4	182.5	42.1	2.4
1937-38	85.8	71.0	14.0	16.5	187.3	45.4	2.9
1938-39	87.0	72.0	14.0	16.4	189.4	49.4	3.3
1939-40	87.5	73.1	13.6	16.4	190.8	52.0	3.7
1940-41	88.0	74.1	13.4	15.4	190.9	54.1	4.3
1941-42	88.2	75.1	13.3	15.1	191.7	55.7	6.0
1942-43	89.0	76.0	13.3	14.7	193.0	57.1	5.7
1943-44	89.5	76.8	13.0	14.8	194.1	60.1	5.4
1944-45	90.0	77.0	13.0	14.6	194.6	62.7	5.1
1945-46	90.5	78.6	12.9	14.6	196.6	65.5	4.8
1946-47	91.0	80.0	12.9	14.6	198.5	66.6	4.5

## TOTAL CITRUS: BEARING ACREAGE, BY STATES, 1919-20 TO 1946-47

Crop Season	California	Florida	Texas	Arizona	Louisiana	Alabama and Mississippi	Total
Thousands							
1919-20	194.0	84.1	.3	.7	1.1	1.9	282.1
1920-21	199.0	94.8	.6	.9	1.1	4.7	301.1
1921-22	206.9	107.2	1.3	.9	1.2	5.1	322.6
1922-23	210.9	119.5	1.8	1.0	1.2	11.7	346.1
1923-24	214.5	135.9	2.6	1.2	1.3	13.3	368.8
1924-25	218.1	160.6	3.4	1.4	1.4	2.1	387.0
1925-26	220.9	163.1	4.2	1.5	1.7	2.1	393.5
1926-27	227.8	184.2	5.3	1.7	2.1	2.2	423.3
1927-28	230.6	193.3	6.9	1.9	2.6	2.4	437.7
1928-29	235.3	200.8	10.4	2.4	3.0	2.2	454.1
1929-30	240.7	208.2	16.2	3.2	3.4	1.7	473.4
1930-31	244.0	220.2	22.7	3.8	3.6	1.3	495.6
1931-32	249.6	246.5	31.8	4.6	3.8	1.4	537.7
1932-33	253.2	265.4	47.7	5.8	4.0	1.5	577.6
1933-34	251.2	279.7	65.8	7.6	4.2	1.9	610.4
1934-35	260.8	291.8	78.8	11.3	4.3	2.3	649.3
1935-36	266.3	305.4	85.8	16.3	4.5	2.6	680.9
1936-37	273.2	314.1	92.0	19.3	4.6	2.7	705.9
1937-38	283.5	322.5	94.1	20.8	4.8	2.7	728.4
1938-39	292.1	329.0	96.0	21.0	4.9	3.0	746.0
1939-40	297.6	332.5	97.3	21.1	5.1	3.2	756.8
1940-41	300.6	342.8	98.8	20.7	5.0	3.0	770.9
1941-42	302.9	354.7	100.5	20.6	4.8	1/	783.5
1942-43	305.5	364.4	102.3	20.6	4.6	---	797.4
1943-44	310.9	369.6	104.0	20.2	4.5	---	809.2
1944-45	315.1	374.8	105.4	20.1	4.5	---	819.9
1945-46	319.6	383.7	108.9	20.0	4.5	---	836.7
1946-47	321.4	389.2	112.9	20.0	4.5	---	848.0

1/ Acreage nearly eliminated by low temperatures during the winter of 1939-40.

CITRUS: BEARING ACREAGE, BY STATES, 1919-20 TO 1946-47




U. S. DEPARTMENT OF AGRICULTURE

NEG 46864 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 15

CITRUS: BEARING ACREAGE, BY KINDS, 1919-20 TO 1946-47



U. S. DEPARTMENT OF AGRICULTURE

NEG 46865 BUREAU OF AGRICULTURAL ECONOMICS

FIGURE 16







